

alca

Pre-wall installation
systems



18 July 2023

www.alcadrain.com

AM118/850 SÁDROMODUL


PRE-WALL INSTALLATION SYSTEM FOR DRY BUILD UP (PLASTERBOARD) WITH TOP OR FRONT ACTUATION

AM118/850

8595580559830

Application

- For wall-hung WC
- For mounting in front of a support wall or in to a plasterboard construction
- For floor thickness 0–200 mm
- For installation of wall-hung WC pans with a connecting pitch of 180 mm or 230 mm




AM100/1000

8595580550448

Pre-wall installation system for building into solid walls

ΚΑΤΑΛΛΗΛΟΣ ΓΙΑ ΤΟΥΒΛΟΤΟΙΧΟΥΣ
ΒΑΘΟΣ ΜΗΧΑΝΙΣΜΟΥ 125cm

Τοιχοποιία/κανονικός 1062X458X125mm



15
YEAR GUARANTEE



AM115/1000

8595580551292


Slim

Pre-wall installation system for building into solid walls

ΚΑΤΑΛΛΗΛΟΣ ΓΙΑ ΑΝΑΚΑΙΝΙΣΕΙΣ
ΒΑΘΟΣ ΜΗΧΑΝΙΣΜΟΥ 86mm

Τοιχοποιία /Λεπτός 1070X507X86mm (SLIM)

Για κρεμαστό αποχωρητήριο / Wall hung



15
YEAR GUARANTEE



AM100/850


8595580550455

Pre-wall installation system for building into solid walls

ΚΑΤΑΛΛΗΛΟΣ ΓΙΑ ΤΟΥΒΛΟΤΟΙΧΟΥΣ
ΒΑΘΟΣ ΜΗΧΑΝΙΣΜΟΥ 125mm

Τοιχοποιία / κοντός 862X458X125mm

Για κρεμαστό αποχωρητήριο / Wall hung



15
YEAR GUARANTEE



AM101/1120


8595580549398

Pre-wall installation system for plasterboard

ΚΑΤΑΛΛΗΛΟΣ ΓΙΑ ΓΥΨΟΣΑΝΙΔΑ
ΒΑΘΟΣ ΜΗΧΑΝΙΣΜΟΥ 125mm

Γυψοσανίδα / κανονικός 1120X510X125mm

Για Κρεμαστό αποχωρητήριο / Wall hung




15
YEAR GUARANTEE



AM1101/1200

8595580523992

Slim
Pre-wall installation system for dry build up
(plasterboard)
ΚΑΤΑΛΛΗΛΟΣ ΓΙΑ ΓΥΨΟΣΑΝΙΔΑ
ΒΑΘΟΣ ΜΗΧΑΝΙΣΜΟΥ 84mm
Γυψοσανίδα /λεπτός Ύψος 1175X570X84 Βάθος
Για Κρεμαστό αποχωρητήριο / Wall hung




15
YEAR GUARANTEE



AM101/1000

8595580549961

Pre-wall installation system for dry build up
(plasterboard) ΓΙΑ Γυψοσανίδα
/ Μηχανισμός κοντός
Μηχανισμός 980X510X125mm
Για Κρεμαστό αποχωρητήριο/Wall hung toilet




15
YEAR GUARANTEE



AM112

8595580550493

Basicmodul
Wall concealed WC tank
ΓΙΑ ΤΟΥΒΛΟΤΟΙΧΟΥΣ ΚΑΙ ΓΥΨΟΣΑΝΙΔΑ
ΒΑΘΟΣ ΜΗΧΑΝΙΣΜΟΥ 125mm
Ύψος 1062X510X125 Βάθος
Για Καθιστό αποχωρητήριο / back to wall




15
YEAR GUARANTEE



AM112

8595580527204

Basicmodul Slim
Wall concealed WC cistern
ΓΙΑ Τοιχοποιία / Γυψοσανίδα
Μηχανισμός 504X110X84mm Βάθος
Για Καθιστό αποχωρητήριο / back to wall



15
YEAR GUARANTEE





Antibacterial surface treatment of matt flush plates
 The popular flush plates THIN in white-matt and black-matt finish have a new antibacterial treatment. The upper transparent varnish contains silver nanoparticles, which have antibacterial properties and prevent the spread of unwanted micro-organisms on the surface of the flush plate.

Dispenser for inserting of WC tablets

- Included with each WC system ALCA *
- Discreet toilet freshener
- Hygienic cleanliness of WC bowl – the ideal solution for rimflow WC bowls
- Easy operation
- Suitable for all types of WC cistern tablets
- Compatible with all older types *



* (with the exception of the Slim and WOOD systems)

TILTING MECHANISM FOR EASIER INSERTION OF WC TABLETS

Compatible with all flush plates THIN, FUN, AIR and MOON in all surface finishes.

M57-G-M 8595580580940

GOLD-mat

Flush plate for pre-wall installation systems
 For pre-wall installation systems and concealed WC cisterns.


The flush plate thanks to its profile stands out only 5.5 mm above the tiles

Double-acting mechanical flushing

Compatible for all pre-wall installation systems and cisterns for building into solid walls ALCAPLAST

Surface finish: GOLD-mat

Material: plastic



M57-GM-M 8595580580971

GUN METAL-mat

Flush plate for pre-wall installation systems
 For pre-wall installation systems and concealed WC cisterns.


The flush plate thanks to its profile stands out only 5.5 mm above the tiles

Double-acting mechanical flushing

Compatible for all pre-wall installation systems and cisterns for building into solid walls ALCAPLAST

Surface finish: GUN METAL-mat

Material: plastic



M57-N-M 8595580580964

NIKEL -matt

Flush plate for pre-wall installation systems
 For pre-wall installation systems and concealed WC cisterns.



The flush plate thanks to its profile stands out only 5.5 mm above the tiles

Double-acting mechanical flushing

Compatible for all pre-wall installation systems and cisterns for building into solid walls ALCAPLAST

Surface finish: NIKEL-mat

Material: plastic



M57-RG-M 8595580580957

RED GOLD-mat

Flush plate for pre-wall installation systems
 For pre-wall installation systems and concealed WC cisterns.


The flush plate thanks to its profile stands out only 5.5 mm above the tiles

Double-acting mechanical flushing

Compatible for all pre-wall installation systems and cisterns for building into solid walls ALCAPLAST

Surface finish: RED GOLD-mat

Material: plastic





M571 8595580558611

chrome polished

ΚΟΥΜΠΙ ΔΙΠΛΗΣ ΡΟΗΣ ΝΕΡΟΥ, ΓΙΑ ΕΝΤΟΙΧΙΣΜΕΝΟΥΣ ΜΗΧΑΝΙΣΜΟΥΣ, ΓΙΑ ΟΛΟΥΣ ΤΟΥΣ "ALCA PLAST"

ΥΛΙΚΟ: ΠΛΑΣΤΙΚΟ ΣΚΛΗΡΟ





M572 8595580558628

chrome matt

ΚΟΥΜΠΙ ΔΙΠΛΗΣ ΡΟΗΣ ΝΕΡΟΥ, ΓΙΑ ΕΝΤΟΙΧΙΣΜΕΝΟΥΣ ΜΗΧΑΝΙΣΜΟΥΣ, ΓΙΑ ΟΛΟΥΣ ΤΟΥΣ "ALCA PLAST"

ΥΛΙΚΟ: ΠΛΑΣΤΙΚΟ ΣΚΛΗΡΟ





M575 8595580558635

gold

The flush plate thanks to its profile stands out only 5.5 mm above the tiles, Double-acting mechanical flushing, Compatible with all Alcaplast pre-wall installation systems and cisterns for building into solid walls.

Material: plastic




M578

black matt

ΚΟΥΜΠΙ ΔΙΠΛΗΣ ΡΟΗΣ ΝΕΡΟΥ, ΓΙΑ ΕΝΤΟΙΧΙΣΜΕΝΟΥΣ ΜΗΧΑΝΙΣΜΟΥΣ, ΓΙΑ ΟΛΟΥΣ ΤΟΥΣ "ALCA PLAST"

ΥΛΙΚΟ: ΠΛΑΣΤΙΚΟ ΣΚΛΗΡΟ



Flush plates THIN



alca

M670 8595580562663

White-chrome polished finish

FLUSH PLATE FOR PRE-WALL INSTALLATION SYSTEMS, WHITE/CHROME-POLISHED

For pre-wall installation systems and concealed WC cisterns.




M671 8595580562670

chrome-polished

Flush plate for pre-wall installation systems.

For pre-wall installation systems and concealed WC cisterns. The flush plate thanks to its profile stands out only 5.5 mm above the tiles. Double-acting mechanical flushing. Compatible for all pre-wall installation systems and cisterns for building into solid walls ALCAPLAST

Surface finish: chrome-polished. Material: plastic




M678 8595580562700

black matt

ΚΟΥΜΠΙ ΔΙΠΛΗΣ ΡΟΗΣ ΝΕΡΟΥ, ΓΙΑ ΕΝΤΟΙΧΙΣΜΕΝΟΥΣ ΜΗΧΑΝΙΣΜΟΥΣ, ΓΙΑ ΟΛΟΥΣ ΤΟΥΣ "ALCA PLAST"

ΥΛΙΚΟ: ΠΛΑΣΤΙΚΟ ΣΚΛΗΡΟ




M770 8595580562618

White-chrome polished finish

FLUSH PLATE FOR PRE-WALL INSTALLATION SYSTEMS, WHITE/CHROME-POLISHED

For pre-wall installation systems and concealed WC cisterns



M772 8595580562632

chrome-matt/chrome-polished finish


FLUSH PLATE FOR PRE-WALL INSTALLATION SYSTEMS

The flush plate thanks to its profile stands out only 5.5 mm above the tiles

Double-acting mechanical flushing

Compatible for all pre-wall installation systems and cisterns for building into solid walls ALCAPLAST

Surface finish: chrome-matt. Material: plastic



M778 8595580562656

black-matt/chrome-polished finish


FLUSH PLATE FOR PRE-WALL INSTALLATION SYSTEMS

For pre-wall installation systems and concealed WC cisterns

The flush plate thanks to its profile stands out only 5.5 mm above the tiles. Double-acting mechanical flushing

Compatible for all pre-wall installation systems and cisterns for building into solid walls ALCAPLAST


Surface finish: black-matt with antibacterial properties (ensured by the content of silver compounds). Material: plastic



M270

White finish

Flush plate for pre-wall installation system ,white
 Double-acting mechanical flushing
 Compatible for all pre-wall installation systems and
 cisterns for building into solid walls ALCADRAIN
 Surface finish: white
 Material: plastic




M271

8594045938241

Chrome-polished finish

Flush plate for pre-wall installation system
 ΓΙΑ ΕΝΤΟΙΧΙΣΜΕΝΟΥΣ ΜΗΧΑΝΙΣΜΟΥΣ, ΔΙ-
 ΠΛΗΣ ΡΟΗΣ ΝΕΡΟΥ, ΓΙΑ ΟΛΟΥΣ ΤΟΥΣ
 “ALCA PLAST” ΥΛΙΚΟ: ΠΛΑΣΤΙΚΟ ΣΚΛΗΡΟ




M272

8594045938258

chrome matt

Flush plate for pre-wall installation system
 ΚΟΥΜΠΙ ΔΙΠΛΗΣ ΡΟΗΣ ΝΕΡΟΥ, ΓΙΑ ΕΝΤΟΙ-
 ΧΙΣΜΕΝΟΥΣ ΜΗΧΑΝΙΣΜΟΥΣ, ΓΙΑ ΟΛΟΥΣ
 ΤΟΥΣ “ALCA PLAST”, ΥΛΙΚΟ: ΠΛΑΣΤΙΚΟ
 ΣΚΛΗΡΟ




M278

8595580501686

black matt

Clearance!

Flush plate for pre-wall installation system
 ΚΟΥΜΠΙ ΔΙΠΛΗΣ ΡΟΗΣ ΝΕΡΟΥ, ΓΙΑ ΕΝΤΟΙ-
 ΧΙΣΜΕΝΟΥΣ ΜΗΧΑΝΙΣΜΟΥΣ, ΓΙΑ ΟΛΟΥΣ
 ΤΟΥΣ “ALCA PLAST” ΥΛΙΚΟ: ΠΛΑΣΤΙΚΟ
 ΣΚΛΗΡΟ





M370

white-polished

Clearance!

Flush plate for pre-wall installation systems. For pre-
 wall installation systems and concealed WC cis-
 terns. Double-acting mechanical flushing.
 Compatible for all pre-wall installation systems and
 cisterns for building into solid walls ALCAPLAST
 Surface finish: white. Material: plastic





M1741

Chrome-polished finish

FLUSH PLATE FOR PRE-WALL INSTAL-
 LATION SYSTEMS, CHROME-POLISHED
 For pre-wall installation systems and concealed WC
 cisterns

Jiří Španihel, academic sculptor

He studied design under Prof. Zdenek Kovar at the University of
 Applied Arts in Prague. In 1991 he founded a design studio,
 which currently operates under the name DESCENT s r o He is a
 leading industrial designer, his work has won numerous awards -
 Red Dot Award, Good Design Award, IF Design or the National
 Award for design.



Flush plates FLAT

alca

FUN

8595580523534

metal matt Flush plates



ALUNOX THIN

Red Dot Award

Flush plate for pre-wall installation system

ΚΟΥΜΠΙ ΔΙΠΛΗΣ ΡΟΗΣ ΝΕΡΟΥ, ΓΙΑ ΕΝΤΟΙ-
ΧΙΣΜΕΝΟΥΣ ΜΗΧΑΝΙΣΜΟΥΣ, ΓΙΑ ΟΛΟΥΣ
ΤΟΥΣ "ALCA PLAST"

ΥΛΙΚΟ: ANODIZED ALUMINIUM




TURN

Turn flush plate

metal-matt/polish



Flush plate for pre-wall installation system



Flush plates FLAT only on order



MOON 8595580577476

Flush plate for pre-wall installation systems, **alunox-matt**
 The mechanism is fully integrated into the wall. The flush plate only slightly protrudes above the tiles. Double-acting mechanical flushing. Compatible for all pre-wall installation systems and cisterns for building into solid walls AL-CAPLAST. Maintenance with common detergents used in the household for plumbing fixtures and bathroom accessories. Resistant to UV rays and external influences. Precise workmanship with laser technology. Surface finish: alunox-mat, Anti-fingerprint with surface treatment that eliminates fingerprint smudges. Material: anodized aluminum, stainless steel





MON-BRASS 8595580577490

Flush plate for pre-wall installation systems, **brass**
 The mechanism is fully integrated into the wall. The flush plate only slightly protrudes above the tiles. Double-acting mechanical flushing. Compatible for all pre-wall installation systems and cisterns for building into solid walls AL-CAPLAST. Maintenance with common detergents used in the household for plumbing fixtures and bathroom accessories. Resistant to UV rays and external influences. Precise workmanship with laser technology
 Surface finish: brass, ANTI-FINGERPRINT modified against finger prints. Material: stainless steel with brass surface finish





TURN 8595580523527

Turn flush plate **metal-matt/polish**
 Flush plate for pre-wall installation system. The mechanism is fully integrated into the wall. The flush plate only slightly protrudes above the tiles. Double-acting. Compatible for all pre-wall installation systems and cisterns for building into solid walls AL-CAPLAST. Maintenance with common detergents used in the household for plumbing fixtures and bathroom accessories. Resistant to UV rays and external influences. Precise workmanship with laser technology. Surface finish: alunox-mat, Anti-fingerprint with surface treatment that eliminates fingerprint smudges. Material: anodized aluminum, stainless steel





TURN-INOX 8595580531225

Flush plate for pre-wall installation systems, **inox-semi matt/polished**
 The mechanism is fully integrated into the wall. The flush plate only slightly protrudes above the tiles. Double-acting mechanical flushing. Compatible for all pre-wall installation systems and cisterns for building into solid walls AL-CAPLAST. Maintenance with common detergents used in the household for plumbing fixtures and bathroom accessories. Resistant to UV rays and external influences. Precise workmanship with laser technology
 Surface finish: painted stainless steel, Anti-fingerprint with surface treatment that eliminates fingerprint smudges. Material: stainless steel, painted colorless finish



TURN-BRASS 8595580577520

Flush plate for pre-wall installation systems, **brass**
 The mechanism is fully integrated into the wall. The flush plate only slightly protrudes above the tiles. Double-acting mechanical flushing. Compatible for all pre-wall installation systems and cisterns for building into solid walls AL-CAPLAST. Maintenance with common detergents used in the household for plumbing fixtures and bathroom accessories. Resistant to UV rays and external influences. Precise workmanship with laser technology. Surface finish: brass, ANTI-FINGERPRINT modified against finger prints. Material: stainless steel with brass surface finish




Accessories

alca

A06E 8595580511258

pre-wall ecology Mechanism


For pre-wall installation systems height 1000, 1200 mm. For water-saving flushing 2/4 l
Compatible with pre-wall installation systems A100, A101, A102, A115, A116 with height of 1000, 1200 mm, Dual flush, STOP button to adjust the amount of discharged water, Material: ABS
EN 14055
Valve, Outlet DN60 mm for installation in the cistern



A06 8594045936803

pre-wall flash valve

Curtain for adjusting the amount of flushed water
Flushing valve for ALCA modules
Packaging –outer box : 25 pcs
size –outer box : 590X390X430 mm
weight–outer box : 7.0 kg




M00020B-ND

A06 Flush Valve outlet seal

A09B 8595580506988

flash valve for pre-wall slim modul

New, more compact design of the flush valve
Easy installation, setup and maintenance, High reliability
Compatible with all Slimmoduls
Interchangeable with previous valve A09A
Packaging –outer box : 20 pcs
size –outer box : 590X390X430 mm
weight–outer box : 6.2 kg



MS0023-ND

MS0095-ND


A09B Flush Valve outlet Slim

P115 8595580542085

water flow speed regulator

For pre-wall installation systems Alcaplast (except for Slim)

To reduce the flow of water when flushing the toilet
For pre-wall installation systems Alcaplast (except for Slim)
For flush valves A06, A06E, A02, A03, A05, A07, A2000
Four options of regulation the flow rate of water by 5%, 15%, 25% or 35%
Material: polypropylene
EN 14055
Regulator




Accessories

alca

M906 8595580501891

Drainage joint set 90/110


To connect a wall-hung WC to vertical waste pipes
 For pre-wall installation systems
 Packaging –outer box : 20 pcs
 size –outer box : 590X390X430 mm
 weight–outer box : 6.7 kg



M908 8595580501907

Drainage joint set 90/90


Waste elbow for A101, A102
 Packaging –outer box : 20 pcs
 size –outer box : 590X390X430 mm
 weight–outer box : 6.9 kg



M968 8595580572211

Elbow waste connector set DN90 Slim


To connect a wall-hung WC to vertical waste pipes
 For pre-wall installation systems
 Material: polyethylene



M907 8594045937121

Reduction set 90/110


Transition from Ø90 to Ø110
 For pre-wall installation systems
 Packaging –outer box : 60 pcs
 size –outer box : 590X390X430 mm
 weight–outer box : 7.9 kg



M9000 8595580503963

Complete extended accessories to be used with WC's for handicapped


For connecting water and waste to the WC, extended – set
 For pre-wall installation systems
 Packaging –outer box : 10 pcs
 size –outer box : 430X170X170 mm
 weight–(piece): 0.97 kg



M900 8595580514266

Accessories set

Set for connecting the wall-hung toilet to the module
 Compatible with the A100, A101, A102, A115
 Packaging –outer box : 15 pcs
 size –outer box : 590X390X430 mm
 weight–outer box : 11.5 kg



M147 8595580515577

Extended connector to be used with WC's for handicapped

To extend the connection of water to the wall-hung toilet, To connect the extended WC pan to the pre-wall installation system For pre-wall installation systems
 Packaging –outer box : 75 pcs, size –outer box : 595X395X245 mm,
 weight–outer box : 8.8 kg



Description	Ref. nr.	
Flexible pre-wall	MN0115-ND	
Flash plate screw 20cm	MN0120C-DLOUHY	
pre-wall regulator long screws	M952D	
pre-wall regulator screws	M952	
Spare Board Slim Module	M958	
Corner Valve with holder for pre-wall	P068	
Complete kit with screws for pre wall	M954	
PLATE MODULE B	M935	
Spacer for WC Slim Cisterns	MN0082-ND	

alca