



KLAUS

HOFER




mirrors




4 August 2025

NEW!


KLAUS



Description	Referent	Size	Bar code
Bilbao Curve Lumens 1500 Day light IP44 Anti-fog With back and front light Magnifying mirror Instalation Vertical&Horizontal	NYT-LE- 100X50cmx5mm	100x50cmx5mm	5291840025413



Description	Referent Nr.	Size	Bar code
Alexa Curve mirror Lumens 1500 Day light IP44 Anti-fog with back and front light With magnifying mirror Instalation Vertical or Horizontal	NYT-LE-100X80cmx5mm	100x80cmx5mm	5291840025352
Porto Curve mirror Lumens 1500 Day light IP44 Anti-fog with back and front light With magnifying mirror Instalation Vertical or Horizontal	NYT-LE-120X80cmx5mm	120x80cmx5mm	5291840025376
Berlin Curve mirror Lumens 1500 Day light IP44 Anti-fog with back and front light With magnifying mirror Instalation Vertical or Horizontal	NYT-LE-100X120cmx5mm	120x100cmx5mm	5291840025369
Oslo Curve mirror Lumens 1500 Day light IP44 Anti-fog with back and front light With magnifying mirror Instalation Vertical or Horizontal	NYT-LE-100X70cmx5mm	100x70cmx5mm	5291840025390



description	Referent Nr.	Size	Bar code
Helsinki Aluminium Chrome matt frame 5.7mm Lumens 1200 Day light IP44 Frame Anti-fog with front and back light Magnifying mirror Instalation Vertical & Horizontal	NYT-FRCH- 80X60cmx5mm	80x60cmx5mm Frame 5.7mm	5291840025444
Granada Aluminium Chrome matt frame 5.7mm Lumens 1200 Day light IP44 Frame Anti-fog with front and back light Magnifying mirror Instalation Vertical & Horizontal	NYT-FRCH- 100X80cmx5mm	100X80cmx5mm Frame 5.7mm	5291840025451
Leondia Aluminium Chrome matt frame 5.7mm Lumens 1200 Day light IP44 Frame Anti-fog with front and back light Magnifying mirror Instalation Vertical & Horizontal	NYT-FRCH- 120X80cmx5mm	120x80cmx5mm Frame 5.7mm	5291840025468



description	Ref.Nr.	Size	Bar code
Faro Black matt frame 5.7mm Aluminium Lumens 1200 Day light IP44 Frame Anti-fog with front and back light Magnifying mirror Instalation Vertical & Horizontal	NYT-FRB- 120x80x5mm	120x80cmx5mm Frame 5.7mm	5291840025499




description	Ref.Nr.	Size	Bar code
VIENNA Led mirror Instalation : Horizontal or Vertical Power : 1200 LUMENS With magnifying mirror	NYT-LED-6-IP44	60X80cm	5291840025246



description	Ref.Nr.	Size	Bar code
MALMO Led mirror with front & background wall illumination Anti-fog Led mirror 1200Lumens IP44 / Instalation Horizontal or Vertical With magnifying mirror	NYT-FOG 60X80cm	60X80cm	5291840024904

photo	description	Ref.Nr.	Bar code
	MDF/WOOD mirror ENTRO Dimensions: (W / H / D) 50 / 74 (65) / 14 cm Colour: White corpus, aluminium coloured thick rim Illumination: Recommended for 1 x E27 LED lamps (not included) IP: 20 Material: MDF / wood Specifications: Large mirrored crystal glass door safety socket and switch within easy reach at bottom right	111911010	4013251859415
		-0140	
	MDF/WOOD mirror DORO Dimensions: (W / H / D) 67,5 / 60 / 22 (14) cm Colour: White, aluminium Illumination: 2 LED spots, 240 Lumens Light: colour Neutral-white IP: 20 Material: MDF / wood Specifications: 3 mirrored crystal glass doors, adjustable glass shelves, safety socket and switch	111913510	4013251001906
		-0110	
	MDF/WOOD mirror CENTO 50 Dimensions: (W / H / D) 50 / 65 / 14 cm Colour: White corpus, aluminium coloured thick rim Illumination: LED light strip, 540 Lumens Light: colour Neutral-white IP: 20 Material: Wood / high-gloss melamine Specifications: 2 mirrored crystal glass doors, adjustable glass shelves, safety socket and switch within easy reach at bottom right	114311010	4013251864280
		-0140	
	MDF/WOOD mirror CENTO 60 Dimensions: (W / H / D) 60 / 65 / 14 cm Colour: White corpus, aluminium coloured thick rim Illumination: LED light strip, 540 Lumens Light: colour Neutral-white IP: 20 Material: Wood / high-gloss melamine Specifications; 2 mirrored crystal glass doors, adjustable glass shelves, safety socket and switch within easy reach at bottom right	114312010	4013251864259
		-0140	

photo	description	Ref.Nr.	Bar code
	Kandi LED Mirror cabinet width 60cm x H 70cm x D9cm Color: Chrome Material: MDF / wood Lighting: 1 x EEK: A Domestic equipments: Weight: approx. 9.4 kg Assembly: already pre-assembled IP: 20	111912212-D	4013251007700
	Kandi Led mirror cabinet Black mat finish Dimensions (W / H / D) 60/65(70.2)/14.3 (19.4) cm Material: MDF / wood Equipment 2 mirror doors made of crystal glass, adjustable glass inserts, Socket and ON/OFF switch Lighting: LED top light, 3.6 W, 540 lumens, 4000 K, light colour: neutral white IP: 20	111912212-0700	4013251010656
	Led mirror model "E-LIGHT THREE" with 18 white Led Class A++ Light color 5400-5900 Wattage 1.26 / Lumen 132 Width 50cmx70cm High IP: 20	48000080	4002177558380
	SIRIUS II LED light mirror 60x80cm High Including touch switch Energy-efficiency class A++ Light colour 4000 – 4350 Wattage 11,04 Lumen 903 IP: 20	48002112	4002177568693
	SIRIUS III LED light mirror 90x60cm High Including touch switch Energy-efficiency class A++ Light colour 4000 – 4350 Wattage 11,04 Lumen 903 IP: 20	48002113	4002177568709

photo	description	Ref.Nr.	Bar code
	LED ILLUMINATED mirror ROOMLIGHT I Dimensions: width 60 cm x height 80 cm Mirror type: light mirror Suspension: high Light source: LED Power: 7,36 W Lumen: 805 lm Light color: 4000K Energy label : A + Equipment: Sensor switch Weight: 5.46 kg IP: 20	48008010	4002177568532
	LED ILLUMINATED mirror ROOMLIGHT II Class A++ Light color 4000-4350 Wattage 8,92 / Lumen 756 Width 50cmx70cm High IP: 20	48008020	4002177569096
	LED ILLUMINATED mirror ROOMLIGHT III Dimensions: width 80 cm x height 60 cm Mirror type: light mirror Suspension: longitudinal Light source: LED Power: 6.00 W Lumen: 485 lm Light color: 4000K Energy label : A + Equipment: Sensor switch Weight: 5.43 kg IP: 20	48008030	4002177574304
	LED light mirror "SALERNO" Dimensions: width 50 cm x height 70 cm color temperature 4000K bulb type LED bulbs Lumen before cover 1080 lm with switch-Yes illuminants included Yes Light source exchangeable-no Style- Neutral The mirrored high-quality clear glass design with rounded corners and the elegantly framed all-round lighting module gives you a clever styling partner and an additional light source in the bathroom, entrance area or at the make-up area in the bedroom. The permanently integrated LED lamp achieves a neutral white color temperature of 4,000 K at a bright 1,080 lm (before the cover). The version has a total size of W/H approx. 50 x 70 cm and is mounted on the wall. The on/off sensor switch is included. IP: 20	49060100	4002177575721



description	Ref.Nr.	Bar code
OXFORD LED light mirror incl. touch switch and illuminated make-up mirror, 3x magnifying Size 60 x 80 cm Item no. 49060080 Light colour 4000, neutral-white Wattage 8,5 Lumens 870 IP: 44	49060080	4002177575707



description	Ref.Nr.	Bar code
LED Lines III Size 40 x 6,5 x 11cm Light color neutral-white Wattage 6 Lumens 400 2 Years warranty Energy rating "A" IP: 44	9951	4002177566774

LUMENS TO WATTS

CONVERSION CHEAT SHEET

Brightness
in Lumens

220+



400+



700+



900+



1300+



STANDARD

25W

40W

60W

75W

100W



HALOGEN

18W

28W

42W

53W

70W



CFL

6W

9W

12W

15W

20W



LED

4W

6W

10W

13W

18W



THECANCONVERTER.COM

photo	description	Ref.Nr.	Bar code
	Sevilla 1 Led round mirror 55cm Lumen 700 Light neutral white IP: 20 	49060050	4002177575677
	Sevilla 2 Led round mirror 65cm Lumen 830 Light neutral white IP: 20 	49060060	4002177575684
	FRAMELIGHT I LED light mirror 60x80cmHigh Including touch switch Energy-efficiency class A++ Light colour 4000 – 4350 Wattage 10,55 Lumen 903 IP: 20	48007010	4002177568525
	FRAMELIGHT II LED light mirror 50x70cmHigh Including touch switch Energy-efficiency class A++ Light colour 4000 – 4350 Wattage 8,63 Lumen 735 IP: 20	48007020	4002177569089
	FRAMELIGHT III LED light mirror 80x60cmHigh Including touch switch Energy-efficiency class A++ Light colour 4000 – 4350 Wattage 10,55 Lumen 903 IP: 20	48007030	4002177574311

«Καθρέφτης LED με βαθμολογία IP44»

Συνοψίζοντας, όταν αγοράζετε έναν φωτιζόμενο καθρέφτη, αναζητήστε να έχει την βαθμολογία IP44 στην περιγραφή

του προϊόντος. Αυτή η βαθμολογία υποδεικνύει ότι ο καθρέφτης είναι κατάλληλος για χρήση σε χώρους όπου υπάρχει νερό.

Όπως μπάνια / ντους / υγρά δωμάτια, παρέχοντας παράλληλα προστασία από υγρασία και πιτσιλιές νερού.

“Mirror LED with IP44 rating”

In summary, when shopping for an illuminated mirror, look for IP44 rating in the product description.

This rating indicates that the mirror is suitable for use in areas like bathroom / shower.

Such as bathrooms and wet rooms, whilst providing protection against moisture and splashes of water.

Για την τοποθέτηση καθρέφτη με “IP44” ακολουθήστε τις αποστάσεις του σκιαγραφήματος, οι οποίες και καθορίζονται στα 60cm

SCHUTZBEREICH / SAFETY AREA



F	Zone de protection	RO	Domeniu de protecție
TR	Korunma bölümü	SLO	Zaščitno območje
RUS	Защитная зона	I	Zone de protezione
NL	Veiligheidsruimte	HR	Zaštićeno područje
PL	Strefa ochonna	E	Zona de protecció
CZ	Ochranné pásmo	P	Zona de protecção
SK	Ochranné pásmo	DK	Sikkerhedsafstand
H	Védett terület	FIN	Turva-alue
BG	Защитен участък	GR	Περιοχή προστασίας

Minimum: 60 cm







photo	description	Ref.Nr.	Bar code
	FRAME mirror WOOD VERDE 46X111 Dimensions: width 46 cm x height 111 cm Mirror type: Living room mirror Suspension: Both Equipment: Wooden frame hanger available	99980999	4002177090262
	FRAME mirror WOOD VERDE 46X111 Dimensions: width 46 cm x height 111 cm Mirror type: Living room mirror Suspension: Both Equipment: Wooden frame hanger available	99981999	4002177090293
	FRAME mirror WOOD VERDE 55X75 Dimensions: width 55 cm x height 75 cm Mirror type: Living room mirror Suspension: Both Equipment: Wooden frame hanger available	99984999	4002177092846
	FRAME mirror WOOD VERDE 55X75 Dimensions: width 55 cm x height 75 cm Mirror type: Living room mirror Suspension: Both Equipment: Wooden frame hanger available	99985999	4002177092877

photo	description	Ref.Nr.	Bar code
	Mirror model "TOUCH" included adhesive tape Door or wall mirror Width 39cmx111cm High	10080104	4002177000063
	Mirror model "TOUCH" included adhesive tape Door or wall mirror Width 39cmx140cm High	10040114	4002177045347
	Kritall-Spiegel 170x40 Included on the mirror the clamping support for vertical instalation only For horizontal instalation, ask for mirror extra clamping support set 4pcs 	10200040	4002177568839
	Mirror clamping support set of 4pcs Capacity 5Kilos	19060000	4002177009905

photo	description	Ref.Nr.	Bar code
	MIRROR GENNIL 55X80 Dimensions: width 55 cm x height 80 cm Mirror type: faceted mirror Can be placed vertical and horizontal Equipment: bijoute 13 mm Adhesive included CAN BE PLACED HORIZONTAL IF YOU BUY AN EXTRA PCS OF THE MOUNTING SYSTEM MIRROR HANGING SYSTEM REF.19010081 €4.90 ΤΟΠΟΘΕΤΕΙΤΑΙ ΚΑΙ ΟΡΙΖΟΝΤΙΑ ΕΑΝ ΑΓΟΡΑΣΕΤΕ ΤΗΝ ΕΞΤΡΑ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΤΟΥ ΚΑΘΡΕΦΤΗ 8CMX10CM REF.19010081 €4.90	20030185	4002177000766 (2 pieces in one package)
	MIRROR GENNIL 40X60 Dimensions: width 40 cm x height 60 cm Mirror type: faceted mirror Can be placed vertical and horizontal Equipment: Facet 13 mm adhesive sheets available CAN BE PLACED HORIZONTAL IF YOU BUY AN EXTRA PCS OF THE MOUNTING SYSTEM MIRROR HANGING SYSTEM REF.19010081 €4.90 ΤΟΠΟΘΕΤΕΙΤΑΙ ΚΑΙ ΟΡΙΖΟΝΤΙΑ ΕΑΝ ΑΓΟΡΑΣΕΤΕ ΤΗΝ ΕΞΤΡΑ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΤΟΥ ΚΑΘΡΕΦΤΗ 8CMX10CM REF.19010081 €4.90	20010164	4002177000742
	MIRROR CHECK KARO 55X70 Dimensions: width 55 cm x height 70 cm Mirror type: special forms Can be placed vertical and horizontal Equipment: bijoute 13 mm Adhesive included CAN BE PLACED HORIZONTAL IF YOU BUY AN EXTRA PCS OF THE MOUNTING SYSTEM MIRROR HANGING SYSTEM REF.19010081 €4.90 ΤΟΠΟΘΕΤΕΙΤΑΙ ΚΑΙ ΟΡΙΖΟΝΤΙΑ ΕΑΝ ΑΓΟΡΑΣΕΤΕ ΤΗΝ ΕΞΤΡΑ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΤΟΥ ΚΑΘΡΕΦΤΗ 8CMX10CM REF.19010081 €4.90	65450157	4002177307902
	MIRROR CHECK KARO 70X90 Dimensions: width 70 cm x height 90 cm Mirror type: special forms Can be placed vertical and horizontal Equipment: bijoute 13 mm Adhesive included CAN BE PLACED HORIZONTAL IF YOU BUY AN EXTRA PCS OF THE MOUNTING SYSTEM MIRROR HANGING SYSTEM REF.19010081 €4.90 ΤΟΠΟΘΕΤΕΙΤΑΙ ΚΑΙ ΟΡΙΖΟΝΤΙΑ ΕΑΝ ΑΓΟΡΑΣΕΤΕ ΤΗΝ ΕΞΤΡΑ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΤΟΥ ΚΑΘΡΕΦΤΗ 8CMX10CM REF.19010081 €4.90	65450179	4002177080454

photo	description	Ref.Nr.	Bar code	
	Kristall Form mirror Size: 40X60 Width of the frame: 3 cm Material: extrusion plastic (polystyrol) with foil coated. Can be placed vertical and horizontal	69000030	4002177564015	Green
		69000031	4002177564022	Pink

	Kristall Form mirror Size: 40X100 Width of the frame: 3 cm Material: extrusion plastic (polystyrol) with foil coated. Can be placed vertical and horizontal	69000021	4002177563926	White
		69000022	4002177563933	Silver
		69000024	4002177563957	Green

	MOUNTING SYSTEM MIRROR HANGING PANEL 8X10 cm For mirrors up to 2.4 kilos p.p.	19010081	4002177000315	4.90p.p
--	---	----------	---------------	---------

	CLEAR GLASS TRAYS Size 50 x 14 cm	19450050	4002177075832	8.40€
--	---	----------	---------------	-------

	GLASS SHELF SUPPORT Chromium-plated metal, 1 pair	19450000	4002177075825	10.00€
--	---	----------	---------------	--------

photo	description	Ref.Nr.	Size	Bar code
	Mirror 4mm LED 20w Led mirror 850 power lumens black aluminium frame Vertical instalation	NYT-LED-4HBA	60x80X0.4cm	5291840021774
	Led mirror 60x80cm with magnifying mirror (with conceal back side cov- er for better light) 1000 power lumens Horizontal or Vertical instalation	NYT-LED-MAGR	60x80cm	5291840023143
	Led mirror 60x60cm with magnifying mirror (with conceal back side cov- er for better light) 1000 power lumens Horizontal or Vertical instalation	NYT-LED-MAGS	60x60cm	5291840023150
	Reflecta 1 Led mirror 1000 power lumens Horizontal or Vertical instalation	NYT-LED-IP44- 1000L-60S	60x60cmx0.4mm	5291840023976
				
	Reflecta 2 Led mirror 1000 power lumens Horizontal or Vertical instalation	NYT-LED-IP44- 1000L-60X80R	80x60cmx0.4mm	5291840023983
				
	Reflecta 3 Led mirror 1000 power lumens Horizontal or Vertical instalation	NYT-LED-IP44- 1000L-50X70R	50x70cmx0.4mm	5291840023990
				
	Mirror 4mm LED 20w Led mirror 850 power lumens Horizontal or Vertical instalation	NYT-LED-5VBA	60x80X0.4cm	5291840021781

photo	description	Ref.Nr.	Size	Bar code
	Stelar 3 Mirror s/steel frame semi-silver finish Frame width 2.5cm	NYT-S/SF-SM-40x60	40x60cm	5291840024331
	Stelar 2 Mirror s/steel frame semi-black finish Frame width 2.5cm	NYT-S/SF-B-40x60	40x60cm	5291840024324
	Stelar 1 Mirror s/steel frame semi-white finish Frame width 2.5cm	NYT-S/SF-W-40x60	40x60cm	5291840024317
	Lustar 3 Mirror s/steel frame semi-silver finish	NYT-S/SF-SM-40x100	40x100cm	5291840024362
	Lustar 2 Mirror s/steel frame semi-black finish	NYT-S/SF-B-40x100	40x100cm	5291840024355
	Lustar 1 Mirror s/steel frame semi-white finish	NYT-S/SF-W-40x100	40x100cm	5291840024348

photo	description	Ref.Nr.	Size	Bar code
	Mirror aluminum Frame / black mat finish	NYT-F-BMAT 60x60cm	60x60cm	5291840022092
	Mirror aluminum Frame / black mat finish	NYT-F-BMAT 65X45cm	65x45cm	5291840022085
	Mirror aluminum Frame / chrome mat finish	NYT-F-CMAT 60x60cm	60x60cm	5291840022115
	Mirror aluminum Frame / chrome mat finish	NYT-F-CMAT 60X45cm	60x45cm	5291840022054
	Mirror aluminum Frame / chrome mat finish	NYT-F-CMAT 60x80cm	60x80cm	5291840022108



photo	description	Ref.Nr.	Size	Bar code
	Titan Ogival mirror bijoute	NYT-BL-50	50 X 65 X 0.5cm	5291840013762
		NYT-BL-55	55 X 40 X 0.5cm	5291840013854
 	Titan Rectangular mirror Bijoute Can be placed vertical and horizontal	NYT-RECT-50	50 X 40 X 0.5cm	5291840013830
		NYT-RECT-60	60 X 45 X 0.5cm	5291840013779
		NYT-RECT-80	80 X 60 X 0.5cm	5291840019528
	Titan Square mirror bijoute	NYT-SQ-40	40 X 40 X 0.5cm	5291840013847
		NYT-SQ-50	50 X 50 X 0.5cm	5291840013809
		NYT-SQ-60	60 X 60 X 0.5cm	5291840022399
	Titan Round mirror bijoute	NYT-RN-40	40cm	5291840013816
		NYT-RN-50	50cm	5291840013793
		NYT-RN-60	60cm	5291840013786
	Titan Oval mirror bijoute	NYT-OV	50 X 40 X 0.5cm	5291840013823
	Curve mirror 4mm rectangular 60x45cm <u>vertical or horizontal</u> <u>instalation</u>	NYT-CURVE-60x45	45 X 60 X 0.5cm	5291840021552
	Curve mirror 4mm rectangular 60x80cm <u>vertical or horizontal</u> <u>instalation</u>	NYT-CURVE-80x60	60 X 80 X 0.5cm	5291840021576
	Curve mirror 4mm square mirror 60x60cm	NYT-CURVE-60x60	60 X 60 X 0.5cm	5291840021569
<i>Lumiere</i>				
	Mirror Caresse R900-1 R900-1-K.OAK oak H850xW550xD70 R900-1-WH White H850xW550xD70	R900-1-K.OAK		5291840018668

photo	description	Ref.Nr.	Bar code
	Lymo Material: Plastic Features: 3 crystal glass mirror doors with 3-D-mirror effect, Medium mirror with storage space, Fixed cabinet inserts Push socket Dimensions: 59/49.5/14.5 cm	84132 White	4013251862101
	Junior (one-door) Material: Plastic Features: 1 Crystal glass mirror door Fixed cabinet inserts Dimensions: 31.5/40/14 cm	84110 White	4013251807805
	Medi (one-door) Material: Plastic Features: Adjustable cabinet inserts, Door storage bowls, Green cross sticker, Lock Drawer console: With 1 drawer and scratch-proof glass pane. Also suited for other mirrors and mirror cabinets. Dimensions: Medi one-door: 31.5/42/15 cm Console 315: 31.5/8/16 cm	White Console 315	83310 85801 4013251807409 Console 315

photo	description	Ref.Nr.	Bar code
	Make-up mirror SALVIA 16,5X16,5 cm Magnifying mirror 300% With light & switch on /off Dimensions: width 16.5 cm x height 16.5 cm Mirror type: cosmetic mirror Equipment: frame made of KS, pressure switch	19070020	4002177568594
	Make-up mirror KANIA 17,3X17,3 cm Magnifying mirror 300% Dimensions: width 17.3 cm x height 17.3 cm Mirror type: cosmetic mirror Equipment: frame from KS	19070010	4002177568587
	COSMETIC mirror VINCA 16X16 cm Magnifying mirror 300% Dimensions: width 16 cm x height 16 cm Mirror type: cosmetic mirror Equipment: frame from KS	19070030	4002177568600
	MAKE-UP mirror VIVIENNE 18X38 cm Magnifying mirror 17 cm X 2 zoom Dimensions: width 38 cm x height 18cm Mirror type: cosmetic mirror Equipment: frame made of metal	19070000	4002177019430
	Tatay Magnifying standing mirror 17cm X 5 zoom chrome	4440100	8411801440100
	Tatay Magnifying mirror with bracket 17cm X 5 zoom chrome	4440200	8411801440209
	Tatay Magnifying extending mirror 17cm X 5 zoom chrome	4440300	8411801440308

declaration of conformity



**Manufacturers
name**

Jokey Plastik Sohland GmbH

Complete adress

Industriestr. 4
02689 Sohland / Spree
Germany



Products

bathroom products, illuminated mirrors

**Type designation /
providers**

All types

The designed products are comply with the requirements of following documents:

1 Safety

2014/35/EU

Low voltage directive

1.1

EN 60598-1:2015

Luminaires- Part 1: General requirements and tests (before 2008 + A11)

1.2

EN 60598-2-1:1989

Luminaires; part 2: particular requirements; section one: fixed general purpose luminaires

1.3 PAK/PAH

2013/1272/EU

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as regards polycyclic aromatic hydrocarbons (before ZEK 01.2-08/12.08, current 01.4-08)

AIPS GS 2014:01 PAK

1.4 EMF

EN 62493:2010

Assessment of lighting equipment related to human exposure to electromagnetic fields

1.5 Photobiology

EN 62471:2008

Photobiological safety of lamps and lamp systems

2 EMC

2014/30/EU

Directive relating to electromagnetic compatibility (before 2004/108/EC)

2.1

EN 55015 :2015

Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment (before 2006 + A1:2007 + A2:2009)

2.2

EN 61000-3-2:2015

Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (before 2006 + A1:2009 + A2:2009)

2.3

EN 61000-3-3:2014

Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection (before 2008)

2.4

EN 61547:2010, Ber. 1:2010

Equipment for general lighting purposes- EMC immunity requirements (before 2009)



3 REACH	2006/1907/EC	Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
4 RoHS II	2011/65/EG	Restriction of Hazardous Substances; includes 2015/863 (before 2002/95/EG)
5 WEEE	2012/19/EU	Directive on waste electrical and electronic equipment (WEEE)
6 ÖKODESIGN	2009/125/EC	eco-design requirements for energy related products
6.1	244/2009/EC	non-directional household lamps
6.2	1194/2012/EU	directional lamps, light emitting diode lamps and related equipment
6.3	2010/30/EU	labelling and standard product information of the consumption of energy and other resources by energy-related products
6.4	2012/874/EU	Energy labelling of electrical lamps and luminaires
7 tests in factory	according to EN 60598	100% 1 visual inspection 2 insulation 3 earth contact 4 function

Phone, Fax, E-Mail Tel. 035936 36-0, Fax 035936 36-2222, Email info@jokey.com
www.jokey-online.com
 Don't hesitate to ask for more information.

Signed for and on behalf of:

Jokey Plastik Sohland GmbH

Sohland, 13.12.2019

(date and place)

Marcus Blumenschein, General Manager

(name and function)



(signature)

Jokey Plastik Sohland GmbH
 Industriestraße 4
 02689 Sohland a. d. Spree



Σύμφωνα με ΟΔΗΓΙΑ 2014/35/ΕΕ ΤΟΥ ΕΥΡΩΠΑΪΚΟΥ ΚΟΙΝΟΒΟΥΛΙΟΥ ΚΑΙ ΤΟΥ ΣΥΜΒΟΥΛΙΟΥ Επίσημη Εφημερίδα L96/357-L96/374
29.03.2014

Μοντέλο προϊόντος 48007010; 48007030; 48002112; 48008010;
48008030

Κατασκευαστής Jokey Sohland GmbH
Industriestr. 4
02689 Sohland / Spree
Germany

Η παρούσα δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή.

Στόχος της δήλωσης Ντουλάπι καθρέφτη Προϊόντα μπάνιου

Ο στόχος της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνος με τη σχετική ενωσιακή νομοθεσία
εναρμόνισης:

2014/35/ΕΕ	ΟΔΗΓΙΑ για την εναρμόνιση των νομοθεσιών των κρατών μελών σχετικά με τη διαθεσιμότητα στην αγορά ηλεκτρολογικού υλικού που προορίζεται να χρησιμοποιηθεί εντός ορισμένων ορίων τάσης	L96/357-L96/374 29.03.2014
Εναρμονισμένα πρότυπα:	EN 60598-1:2015	Φωτιστικά σώματα - Μέρος 1: Γενικές απαιτήσεις και δοκιμές
	EN 60598-2-1:1989	Φωτιστικά σώματα - Μέρος 2-1: Ειδικές απαιτήσεις - Σταθερά φωτιστικά σώματα γενικής χρήσης
	EN 62493:2010	Αξιολόγηση του εξοπλισμού φωτισμού όσον αφορά την έκθεση ατόμων σε ηλεκτρομαγνητικά πεδία
	EN 62471:2008	Φωτοβιολογική ασφάλεια λαμπτήρων και συστημάτων λαμπτήρων

Δηλώνεται η συμμόρφωση με άλλες οδηγίες/κανονισμούς που ισχύουν επίσης για το προϊόν:

2014/30/EU	Richtlinie zur Harmonisierung der Rechtsvorschriften der Mitgliedstaaten über die elektromagnetische Verträglichkeit	L 96/79- L 96/106 29.3.2014
Harmonisierte Normen:	EN 55015 :2013	Όρια και μέθοδοι μέτρησης των χαρακτηριστικών

Σύμφωνα με ΟΔΗΓΙΑ 2014/35/ΕΕ ΤΟΥ ΕΥΡΩΠΑΪΚΟΥ ΚΟΙΝΟΒΟΥΛΙΟΥ ΚΑΙ ΤΟΥ ΣΥΜΒΟΥΛΙΟΥ Επίσημη Εφημερίδα L96/357-L96/374
29.03.2014

	EN 61000-3-2:2014	ραδιοδιαταραχών του ηλεκτρικού φωτισμού και παρόμοιων συσκευών
	EN 61000-3-3:2013	Ηλεκτρομαγνητική συμβατότητα (ΗΜΣ) - Μέρος 3-2: Όρια - Όρια για εκπομπές αρμονικού ρεύματος
		Ηλεκτρομαγνητική συμβατότητα (ΗΜΣ) - Μέρος 3-3: Όρια - Περιορισμός των μεταβολών της τάσης, των διακυμάνσεων της τάσης και του τρεμοπαίγματος σε δημόσια συστήματα διανομής χαμηλής τάσης για εξοπλισμό με ονομαστικό ρεύμα ≤ 16 A ανά φάση που δεν υπόκειται σε ειδικές συνθήκες σύνδεσης
	EN 61547:2009	Εξοπλισμός για σκοπούς γενικού φωτισμού - Απαιτήσεις ανοσίας ΗΜΣ
2011/65/ΕΕ	ΟΔΗΓΙΑ για τον περιορισμό της χρήσης ορισμένων επικίνδυνων ουσιών σε ηλεκτρικό και ηλεκτρονικό εξοπλισμό	L 174/88-L 174/110 01.07.2011
Εναρμονισμένα πρότυπα:	EN 50581:2012	Τεχνική τεκμηρίωση για την αξιολόγηση του ηλεκτρικού και ηλεκτρονικού εξοπλισμού όσον αφορά τον περιορισμό των επικίνδυνων ουσιών
	EN IEC 63000:2018	Τεχνική τεκμηρίωση για την αξιολόγηση του ηλεκτρικού και ηλεκτρονικού εξοπλισμού όσον αφορά τον περιορισμό των επικίνδυνων ουσιών
2009/125/ΕΚ	ΟΔΗΓΙΑ για τη θέσπιση πλαισίου για τον καθορισμό απαιτήσεων οικολογικού σχεδιασμού όσον αφορά τα συνδεδεμένα με την ενέργεια προϊόντα	L 285/10-L 285/35 31.10.2009
2019/2020 ΕΕ	ΚΑΝΟΝΙΣΜΟΣ για τον καθορισμό απαιτήσεων οικολογικού σχεδιασμού των φωτεινών πηγών και των χωριστών διατάξεων χειρισμού των φωτεινών πηγών σύμφωνα με την οδηγία 2009/125/ΕΚ του Ευρωπαϊκού	L 315/209- L 315/240 05.12.2019

ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ

Σύμφωνα με ΟΔΗΓΙΑ 2014/35/ΕΕ ΤΟΥ ΕΥΡΩΠΑΪΚΟΥ ΚΟΙΝΟΒΟΥΛΙΟΥ ΚΑΙ ΤΟΥ ΣΥΜΒΟΥΛΙΟΥ Επίσημη Εφημερίδα L96/357-L96/374
29.03.2014

	Κοινοβουλίου και του Συμβουλίου και για την κατάργηση των κανονισμών (ΕΚ) αριθ. 244/2009, (ΕΚ) αριθ. 245/2009 και (ΕΕ) αριθ. 1194/2012 της Επιτροπής	
2017/1369/EU	ΚΑΝΟΝΙΣΜΟΙ ΤΟΥ ΕΥΡΩΠΑΪΚΟΥ ΚΟΙΝΟΒΟΥΛΙΟΥ ΚΑΙ ΤΟΥ ΣΥΜΒΟΥΛΙΟΥ	L 198/1-L 198/23 28.7.2017
2019/2015/EU	ΚΑΤ' ΕΞΟΥΣΙΟΔΟΤΗΣΗ ΚΑΝΟΝΙΣΜΟΣ (ΕΕ) για τη συμπλήρωση του κανονισμού (ΕΕ) 2017/1369 του Ευρωπαϊκού Κοινοβουλίου και του Συμβουλίου όσον αφορά την ενεργειακή επισήμανση των φωτεινών πηγών και για την κατάργηση του κατ' εξουσιοδότηση κανονισμού (ΕΕ) αριθ. 874/2012 της Επιτροπής	L 315/68- L 315/101 5.12.2019

Υπογραφή για λογαριασμό και εξ

ονόματος: **Jokey Sohland GmbH**

Sohland, 12.07.2021

(τόπος και ημερομηνία)



Markus Blumenschein, Διευθύνων

Σύμβουλος

(όνομα, θέση) (υπογραφή)

mirrors