



PRODUCTS

Specialists in the design and manufacture of water, gas and heating installation systems around the world.





VITAB
LIVING

More life, no lime.

Twin

1 handle, 4 independent positions.



Photo	Code	Bar code	Description	Size	box
	COMB15MAC	8428519060216	Double angle valve PN16 Thread VITAO Metallic nova handle - A-80 Combi	1/2X1/2X1/2	
	COMB5MAC01	Old 8428519067345 New 8428519060193	Double angle valve PN16 Thread VITAO Metallic nova handle - Washing machine Combi Temperature range: 0 - 95° Body material: Brass.	1/2X3/4X3/8	20
	DEF728P	Old 8428519002643 New 8428519005244	L-94 DELTA washing machine Valve	3/4"X1/2"	100
	coneKta 280010	8428519063217	coneKta 280010 MAC/ VITAO 15 YEARS GUARANTEE – PN 16 BAR- CW617N EUROPEAN BRASS-NO NOISE- FOR DRINKING WATER – ¼ OPEN/CLOSE	3/8X3/4X3/8	
	728MN	8428519040676	L-85 SMALL MAC/ VITAO	1/2"X3/4"	100
	A-80 TWIN		Angle valve PN10 MM XM Screw VITAO Chrome ABS handle - A-80 Twin		
	CQ4102	8428519060551	15 YEARS GUARANTEE - PN 10 BAR-NO NOISE	1/2X3/8X3/8	
	CQ4105	8428519060407	CW617N EUROPEAN BRASS-CHROMED FOR DRINKING WATER - ¼ OPEN/CLOSE	1/2X1/2X1/2	
	CQ4107	8428519067017		1/2X3/4X3/4	
	NOV77MAC		A-80 NOVA MAC 1/2X3/8 S/T M/ METALICO C/INDIVIDUAL Metal handle, without nut 84 pieces per box		84
	COMBI89U	8428519067970	Combi adaptor COMBI89U	3/8FX3/4M	
	COMBI87U	8428519072622	Combi adaptor COMBI87U	1/2FX3/4M	
	COMBI88U	8428519067963	Combi adaptor COMBI88U	3/8FX1/2M	

Photo	Code	Bar code	Description	Size	box
	NOV74MAC	8428519076392	NOV74MAC VITAQ SYSTEM ANTI-LIME "15 Years Guarantee" Made in Spain. PN16 M-Compression. VITAQ Handle metal. 16 bar/Test pressure 25 bar. ¼ open/close. Chrome. recycle. silence Temperature range: cold and hot water up to 95°C. Fluid: Drinking water and domestic hot water. CW617N (European brass) Line content solution. Double "O" ring. DN15	1/2x3/8x10mm	
	NOV91MAC	8428519036648	NOV91MAC Chrome VITAQ SYSTEM ANTI-LIME "15 Years Guarantee" Made in Spain. PN16 M-Compression. VITAQ Handle metal. 16 bar/Test pressure 25 bar. ¼ open/close. Chrome. recycle. silence Temperature range: cold and hot water up to 95°C. Fluid: Drinking water and domestic hot water. CW617N (European brass) Line content solution. Double "O" ring. DN15	1/2"X1/2"	100
 	ZO600	8428519068847	ZO600 Regula Chrome "10 years guarantee" Multiturn no nut Made in Spain. PN16 Bar. Multiturn. Double "O" ring. DN15. Maximum 95c . CW617N European brass. Chrome. Fluid: Drinking water and domestic hot water	1/2X3/8	
 	ZO602	8428519068854	ZO602 Regula Chrome "10 years guarantee" Multiturn with nut Made in Spain. PN16 Bar. Multiturn. Double "O" ring. DN15. Maximum 95c. CW617N European brass. Chrome. Fluid: Drinking water and domestic hot water	1/2X3/8X10	
 	ZO605	8428519073599	ZO605 Regula Chrome "10 years guarantee" Multiturn 1/2x3/8 No Nut Made in Spain. PN16 Bar. Multiturn. Double "O" ring. DN15. Maximum 95c. CW617N European brass. Chrome. Fluid: Drinking water and domestic hot water	1/2M-1/2M	60
	DE616	5291840003114	A-80	1/2X1/2X10	100
	DE660	8428519058305	DE660 Delta With nut 1/2"X3/8"X10 100 Made in Spain. PN16 Bar. Multiturn. Double "O" ring. DN15. Maximum 95c. CW617N European brass. Chrome. Fluid: Drinking water and domestic hot water	1/2"X3/8"X10	100
	DE711	8428519058312	DE711 New A-80 Without nut Made in Spain. PN16 Bar. Multiturn. Double "O" ring. DN15. Maximum 95c. CW617N European brass. Chrome. Fluid: Drinking water and domestic hot water	1/2"X1/2"	100

Photo	Code	Bar code	Description	Size	box
	202531		Angle valve Deep Bronze Matt PN16 M-M Thread VITAQ Anti-limescale system, more life with a very careful design and finish.		
	202501		Angle valve Chrome PN16 M-M Thread VITAQ Anti-limescale system, more life with a very careful design and finish.		
	202541		Angle valve Steel PN16 M-M Thread VITAQ Anti-limescale system, more life with a very careful design and finish.		
	202551	8428519078808	Angle valve Golden PN16 M-M Thread VITAQ - A·80 Lipstick	1/2x3/8	1pcs
	202511	8428519071335	Matte black Angle valve PN16 M-M Threading VITAQ - A80 Lipstick	1/2"X3/8"X10	1pcs
	202521		White square valve PN16 M-M Thread VITAQ - A·80 Lipstick	1/2"X3/8"X10	1pcs






Photo	Code	Bar code	Description	Size	box	Price €
	NOV74MAC		84pcs "Arco" Nov 74 Mac 84pcs 1/2x3/8x10 & 84pcs "Neoperl" Flexible 40cm 84pcs "Arco" Nov 74 Mac 84pcs 1/2x3/8x10 & 84pcs "Neoperl" Flexible 50cm			
	NOV91MAC		100pcs Arco NOV91MAC 100pcs 1/2x1/2 & 100pcs "Neoperl" Flexible 40cm 100pcs Arco NOV91MAC 100pcs 1/2x1/2 & 100pcs "Neoperl" Flexible 50cm			
	ZO600 Regula		60pcs Arco ZO600 Regula no nut 60pcs 1/2x3/8 & 60pcs "Neoperl" Flexible 40cm 60pcs Arco ZO600 Regula no nut 60pcs 1/2x3/8 & 60pcs "Neoperl" Flexible 50cm			
	ZO602 Regula		60pcs Arco ZO602 Regula with nut 60pcs 1/2x3/8x10 & 60pcs "Neoperl" Flexible 40cm 60pcs Arco ZO602 Regula with nut 60pcs 1/2x3/8x10 & 60pcs "Neoperl" Flexible 50cm			
	ZO605 Regula		60pcs Arco ZO605 Regula 1/2x1/2 60pcs & 60pcs "Neoperl" Flexible 40cm 60pcs Arco ZO605 Regula 1/2x1/2 60pcs & 60pcs "Neoperl" Flexible 50cm			
	DE660		100pcs Arco DE660 Delta 1/2"X3/8"X10 with nut 100pcs & 100pcs "Neoperl" Flexible 40cm 100pcs Arco DE660 Delta 1/2"X3/8"X10 with nut 100pcs 100pcs Delts & 100pcs "Neoperl" Flexible 50cm			
	DE711		100pcs Arco DE711 DELTA & 100pcs Neoperl Flexible 40cm 100pcs Arco DE711 DELTA & 100pcs Neoperl Flexible 40cm			


Photo	Code	Bar code	Description	Size	box
	WP014	8428519073353	Shattaf set complete (with Twin & adaptor)	1/4 turn system	
					
	WP013	8428519072851	Shattaf set complete	1/4 turn system	
	00735	8428519002711	A-80 FILTER 80 ANTI-IMPURITIES SYSTEM	1/2"X3/8"X10	50
	NV716	8428519037102	A-80 SHORT FEMALE NOVA HANDLE	1/2F"X3/8"X10	120
	KO791	5291840019221	A-80 angle valve short brass For wall in mechanisms	1/2X3/8	
	35105		Inca Concealed valve	1/2 F&F	25
					
	35110	8428519072660	Inca Concealed valve	3/4F x 3/4F	25

Stainless Steel braided

Code	Bar code	Description	Size	box
701030005	8424902417674	NEOPERL F1/2XF1/2	30CM	
701040005	8424902417681	NEOPERL F1/2XF1/2	40CM	
701050005	8424902417650	NEOPERL F1/2XF1/2	50CM	
701060005	8424902417667	NEOPERL F1/2XF1/2	60CM	
751080005	3820351007605	NEOPERL F1/2XF1/2	80CM	
701030001	8424902417698	NEOPERL M1/2XF1/2	30CM	
701040001	8424902417704	NEOPERL M1/2XF1/2	40CM	
701050001	8424902417711	NEOPERL M1/2XF1/2	50CM	
701060001	8424902417728	NEOPERL M1/2XF1/2	60CM	
751080001	3820351007698	NEOPERL M1/2XF1/2	80CM	
701030007	8424902417735	NEOPERL F3/8XF1/2	30CM	
701040007	8424902417742	NEOPERL F3/8XF1/2	40CM	
701050007	8424902417759	NEOPERL F3/8XF1/2	50CM	
701060007	8424902417766	NEOPERL F3/8XF1/2	60CM	
701080007	8424902417773	NEOPERL F3/8XF1/2	80CM	
701030006	8424902417858	NEOPERL F3/8XF3/8	30CM	
701040006	8424902417865	NEOPERL F3/8XF3/8	40CM	
701050006	8424902417872	NEOPERL F3/8XF3/8	50CM	
701060006	8424902417889	NEOPERL F3/8XF3/8	60CM	
701080006	8424902417902	NEOPERL F3/8XF3/8	80CM	
701100006	8424902417896	NEOPERL F3/8XF3/8	100CM	
701030002	8424902417810	NEOPERL M3/8XF3/8	30CM	
701040002	8424902417797	NEOPERL M3/8XF3/8	40CM	
701050002	8424902417827	NEOPERL M3/8XF3/8	50CM	
701060002	8424902417803	NEOPERL M3/8XF3/8	60CM	
721040086	8424902417834	NEOPERL F1/2 X M10L	40CM	
721040087	8424902417834	NEOPERL F1/2 X M10S	40CM	
721050091	3800203519364	NEOPERL F3/8 X M10L	50CM	

FIL NOX AC

Nylon Braiding (Polyamide)

Code	Bar code	Description	Size	box
751040005/NP	8424902417681	Neoflex Nylon F1/2 x F1/2 	40CM	
751040007/NP	8424902417933	Neoflex Nylon F3/8 x F1/2	40CM	
751050007/NP	8424902418268	Neoflex Nylon F3/8 x F1/2	50CM	
751040006/NP	3800203520834	Neoflex Nylon F3/8 x F3/8	40CM	
751050006/NP	3800203520827	Neoflex Nylon F3/8 x F3/8	50CM	
751060006/NP	3800203520841	Neoflex Nylon F3/8 x F3/8	60CM	
751050087/NP	3800203520872	Neoflex Nylon F1/2 x M10s	50CM	
751050092/NP	3800203520865	Neoflex Nylon F3/8 x M10S	50CM	
751040001/NP	3820351007674	Neoflex Nylon M1/2 x F1/2	40CM	
751050001/NP	3820351007681	Neoflex Nylon M1/2 x F1/2	50CM	
751040002/NP	3820351014726	Neoflex Nylon F3/8 x M3/8	40CM	
751050002/NP	3820351014733	Neoflex Nylon F3/8 x M3/8	50CM	



EXTERNAL BRAIDING; POLYAMIDE (PA/PET)

Since the braiding is not metallic, it has excellent ;

Corrosion Resistance

&

Prevent conducting Electricity

NYLON Also brings

Great flexibility and lightweight so its easier to install .

Working Temperature 70^aC

Working Preassure 10 Bar

Burst Pressure 130 Bars at 23^oC

Burst Pressure is 110 Bars at 90 ^oC

According European Standards EN 13618

ΕΞΩΤΕΡΙΚΗ ΠΛΕΓΜΑΤΩΣΗ; ΠΟΛΥΑΜΙΔΙΟ (PA/PET)








Καθώς η πλεγμάτωση δεν είναι μεταλλική, έχει εξαιρετική αντίσταση στη διάβρωση & αποτροπή της ηλεκτρικής αγωγιμότητας

ΤΟ NYLON φέρνει επίσης:

Μεγάλη ευελιξία και ελαφρύ βάρος, επομένως είναι πιο εύκολο στην εγκατάσταση.

Θερμοκρασία Λειτουργίας 70^oC Πίεση Λειτουργίας 10 Bar Πίεση Σπασίματος 130 Bars στους 23^oC Η Πίεση Σπασίματος είναι 110 Bars στους 90 ^oC

Σύμφωνα με τα Ευρωπαϊκά Πρότυπα EN 13618

Photo	Code	Bar code	Description	Size	box
	NYT-30CT	5291840003992	Σωληνάκι 30εκ		
	NYT-40 CT	5291840004005	Σωληνάκι 40εκ		
	NYT-50 CT	5291840004012	Σωληνάκι 50εκ		
	NYT-60 CT	5291840004029	Σωληνάκι 60εκ		
	275		Σωληνάκι 80εκ		
	276		Σωληνάκι 100εκ		
		5291840004388	Ζένοφλεξ 30cm M&F 1/2X1/2		
		5291840004395	Ζένοφλεξ 40cm M&F 1/2X1/2		
		5291840004401	Ζένοφλεξ 50cm M&F 1/2X1/2		
		5291840004418	Ζένοφλεξ 60cm M&F 1/2X1/2		
		5291840019092	Ζένοφλεξ 80cm M&F 1/2X1/2		
		5291840014639	Ζένοφλεξ 50cm M&F 3/8X3/8		
	5291840007020	Ζένοφλεξ 60cm M&F 3/8X3/8			
	NYT-ZEN-B 3/8-50cm	5291840021873	black mat black finish zenoflex F&F 3/8x3/8x50cm		
		5291840004036	Ζένοφλεξ 30cm F&F 1/2X1/2		
		5291840004050	Ζένοφλεξ 50cm F&F 1/2X1/2		
		5291840004067	Ζένοφλεξ 60cm F&F 1/2X1/2		
		5291840005798	Ζένοφλεξ 100cm F&F 1/2X1/2		
		5291840005781	Ζένοφλεξ 120cm F&F 1/2X1/2		
		5291840013731	Ζένοφλεξ 150cm F&F 1/2X1/2		
		5291840019559	Ζένοφλεξ 30cm F&F 1/2X3/8		
		5291840009604	Ζένοφλεξ 60cm F&F 1/2X3/8		
		5291840022269	Ζένοφλεξ 80cm F&F 1/2X3/8		
		5291840019597	Ζένοφλεξ 100cm F&F 1/2X3/8		
		5291840019566	Ζένοφλεξ 30cm F&F 3/8X3/8		
		5291840006498	Ζένοφλεξ 50cm F&F 3/8X3/8		
		5291840007006	Ζένοφλεξ 60cm F&F 3/8X3/8		
		5291840019924	Ζένοφλεξ 100cm F&F 3/8X3/8		
		5291840017777	Ζένοφλεξ 50cm F&M 1/2X3/8		
	HF07A	5291840002452	Flexible for mixers 30cm 1/4x3/8		
	HF07	5291840002469	Ζένοφλεξ for mixers 40cm 10X3/8		
	HF07C	5291840004203	Flexible for mixers 40cm 3/8F & 1/4M		
	FW60FF	5291840006986	Flexible white plastic 60cm F&F		

CELAB®
Via Maira snc
04100 Latina
Italy
celab@celab.com



CERTIFICATE OF CONFORMITY

Certificate Number UCN : 902678001821
Date of Issue : 2011-05-16
Product description : Flexible Hose
Model N : DN12, F1/2 x M10, 30cm - 200cm

Applicant :
Yuyao Shenlong Water-Heating Material Factory
No. 15, Two Road, Baiheqiao Industrial Area, Lubu Town,
Yuyao, Zhejiang- China

Standard Used
EN 13618:2009

Conclusion:
The product meets the technical requirement of the above standards and the technical requirements of the following directives.

89/106/EEC;93/68/EEC

This certificate is only valid for the equipment and configuration described, in conjunction with the test data detailed above and with compliance with all applicable legal requirement for the product.

The CE mark as show below can be used, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.



Copyright of this Certificate is owned by CELAB® Italy and may not be reproduced other than in full and with the prior approval of the General Manager. Use of this certificate is subjected to Celab regulation available on Celab web site.
Please check the authenticity of this certificate and related information in the web site www.celab.com Introducing the UCN number in the 'Check document authenticity' area. You will see copy of this certificate and regulation on certificate use. This document is released only for scope allowed by laws.

Massimiliano Bertoldi
General Manager - CELAB
www.celab.com

www.celab.com



Expertises
Environnementales

Laboratoire habilité par le Ministère
chargé de la santé en application de
l'arrêté R°1121-82 du code de la santé publique

ATTESTATION DE CONFORMITE SANITAIRE

Certificate of sanitary conformity

Conformément à l'arrêté du 29 mai 1997 modifié et à la circulaire du Ministère de la Santé -
Direction Générale de la Santé DGS/SD7A N° 671 du 25 Novembre 2002

Coordonnées du demandeur d'ACS /
Contact details of the ACS owner :
YUYAO CITY SHENGLONG PLUMBING EQUIPMENT FACTORY
No. 15, White Crane Bridge, Pule Town
Yuyao City, Zhejiang Province
CHINA

Nom de l'accessoire représentatif / Reference of the representative accessory :
Flexible de douche - F1/2x1/2 - longueur 30 cm
N° de dossier attribué par le laboratoire habilité / File reference : 19 ACC NY 328
Date de réalisation des essais d'inertie selon la norme XP P41-280 / Tests date (according to the standard XP P41-280) : /
Commentaires / Comments : Aucun essai n'est nécessaire à l'émission de cette ACS / No testing is required to issue this ACS.
Le tube interne est en EPDM. Cette ACS est délivrée sous réserve que les conditions de fabrication du tube interne permettant d'obtenir des résultats de migration acceptables soient respectées. The inner pipe is in EPDM. This ACS is issued providing that manufacturing conditions of the inner pipe to obtain compliant migration test are met.

Famille d'accessoires couverte par l'ACS / Accessories' family covered by this certificate :
FLEXIBLES DE DOUCHE et DE RACCORDEMENT - SHENGLONG
Références / References : (7 articles et leurs variantes)
Flexibles de raccordement tresse inox :
FXF, FXM, FXM avec joint
longueur 15 à 250 cm
Flexibles de raccordement tresse inox avec gaine PVC.
FXF, FXM, FXM avec joint
longueur 15 à 250 cm
où :
F peut être remplacé par F1/2, F3/8, F3/4, F1/2x1
M peut être remplacé par M1/2, M3/8, M3/4, M10x1, M12x1 et M15x1
Flexible de douche : F1/2x1/2 - longueur 30 à 250 cm

Attestation délivrée par / Certificate issue by :
Emilie Bailly
Responsable technique /
Technical Manager
Signature :
Date de délivrance / Date of issue : 24 octobre 2019
Date d'expiration / Expiry date : 24 octobre 2024
Commentaires / Comments : /



UNIVERSAL CERTIFICATION SERVICE CO., LTD.
(SHENZHEN QUALITY CERTIFICATION CENTRE)

QUALITY MANAGEMENT SYSTEM CERTIFICATE

No.: 02406Q10094R0S

This is to certify that the quality system of

YUYAO SHENLONG WATER-HEATING EQUIPMENT FACTORY

(REGISTERED ADD: NANLEI VILLAGE, INDUSTRIAL ZONE, PULE TOWN, YUYAO, ZHEJIANG, P. R. CHINA ZIF: 315402)
(MANAGEMENT ADD: SUNJIA VILLAGE, PULE TOWN, YUYAO, ZHEJIANG, P. R. CHINA)

is in conformity with:

GB/T19001-2000 — ISO9001: 2000 STANDARD

This system is valid to:

PRODUCTION AND SERVICE OF METAL BRAIDED PIPLING PIPE

Issue date: 01-13-2006

This Certificate is validity until: 01-12-2029




(The surveillance audits shall be performed in the 6th, 16th and 26th months since the issue date of the certificate.

The continual effectiveness of the certificate shall be marked by the surveillance qualification logo as pasted below.)

Organization stamp:



Representative of the centre (Director):



Registration No.: CNAB024-Q

Certification Body Contact: Http://www.ucschina.com Tel (+86 755) 83355888

Photo	Code	Bar code	Description	Size	box
	00902	8428519003343	V-82 compression chrome hermeto	10mm 3/8X3/8	60
	00907	8428519003398	With spring chrome V-82	1/2M"X1/2"M	100
	02704	8428519006535	Coupling compression fitting chrome	10mm	25
	03505	8428519007099	Brass tee rough	One size	25
	1Tech	8428519032824	A-80 Tech long	1/2M X 3/8 Ø10mm	50
	1Star	8428519032831	A-80 Star long	1/2M X 3/8 Ø10mm	50
	1Cubo	8428519037263	A-80 Cubo long	1/2 MX 3/8 Ø10mm	50
	1Clas	8428519032848	A-80 Clasica long	1/2M X 3/8 Ø10mm	50

Photo	Code	Bar code	Description	Size	box
	01007	5291840003213	Aquatap Zamak clamp for wall	3/4M X 10	50
	E1004	5291840003206	Aquatap Zamak clamp	3/4M X 10	50
	02210	5291840009505	Mini valve chrome Without adapter	1/2" M X 3/8" M	50
	02204	5291840003176	M-F Chrome	1/2" X 1/2"	
	02249	Old 5291840003169 New 8428519005927	F-F Chrome	1/2" X 1/2"	
	02205	Old 5291840012468 New 8428519005538	Mini ball valve M-M Chrome	1/2" X 3/4"	
	NYT 4	5291840004333	Ένωση Chrome	3/8X3/8	
	NYT 6	5291840004340	Ένωση Chrome	3/8X1/2	
	NYT 8 03004	8428519 006672	TEE compression fitting Τάφ 3/8 Chrome	Size 10 mm	25
	NYT 9 03104	8428519 006733	ELBOW compression fitting Chrome Γωνία	fitting Size 10 mm	25
		5291840019351	BRASS ELBOW 3/4 M&F	3/4 M&F	
	03204	5291840012055	Chrome compression joint	1/2FX10mm	









Photo	Code	Bar code	Description	Size	box
	PB413	8428519086933	ARCO GARDEN TAP PB413 with Heavy plastic coupling connector		
	NEW!				
	RG413	8428519074114	Arco bronze finish garden tap H.T.	1/2x3/4 with coupling	
	00413	Old 5291840005194 New 8428519001516	JARDIN garden tap with coupling lever handle	1/2"X 3/4" X Coupling 15	60
	00403	8428519001431	JARDIN garden tap with coupling lever handle	3/4" X 3/4" X Coupling 20mm	60
	00472	Old 5291840008492 New 8428519060247	ARCO NANO DUAL GARDEN TAP MAC	1/2X3/4X3/4	
	00462	Old 5291840008508 New 8428519060261	ARCO NANO SINGLE GARDEN VALVE MAC	1/2X3/4	
	08407	Old 5291840008485 New 8428519038697	ARCO NIPPLE QUICK CONNECTION GARDEN TAP	3/4	

Photo	Code	Bar code	Description	Size	box
	760103	8428519085769	NILE F-F lever handle	1/2''F x 1/2''F	30
	760104 160104	8428519085776 5291840006085	NILE F-F lever handle	3/4''F x 3/4''F	30
	RH006		SENA F-F lever handle	1 1/4''F x 1 1/4''F	12
	RH007		SENA F-F lever handle	1 1/2''F x 1 1/2''F	8
	162103	8428519070369	Nile ventilated ball valve F&F	F&F	
	760105 RH005	8428519085783 5291840003244	NILE F-F lever handle	1''F x 1''F	18
	161102	8428519058756	NILE M-M lever handle nikel	3/8''M x 3/8''M	65
	161104	8428519029213	NILE M-M lever handle nikel	3/4''M x 3/4''M	42
	161103	5291840005200	NILE M-M lever handle nikel	1/2''M x 1/2''M	55
	161105	5291840009369	NILE M-M lever handle nikel	1''M x 1''M	24
	160602	8428519058718	Nile M-F lever handle	3/8''M x 3/8''F	
	760604 160604	8428519085981 5291840003268	Nile M-F lever handle	3/4''M x 3/4''F	30
	760603 160603	8428519085974 5291840003251	Nile M-F lever handle	1/2''M x 1/2''F	40
	760605 160605	8428519085998 8428519058749	Nile M-F lever handle	1''M x 1''F	
	155104	8428519066423	Curved tap PN16 Screw Lever red sleeve - Garden	3/4''M 3/4''M x 20	17
	RHGC1	5291840003312	SENA Garden tap with coupling lever handle	1/2''M 3/4''M x 15	27
	RHG1H	5291840006559	Arco handle for garden tap		

Photo	Code	Bar code	Description	Size	box
	163902	5291840009529	SENA Male-Male butterfly handle	3/8" M x 3/8" M	50
	163904	5291840006078	SENA Male-Male butterfly handle	3/4" M x 3/4" M	45
	163903	5291840006061	SENA Male-Male butterfly handle	1/2" M x 1/2" M	65
	163905	5291840012390	SENA Male-Male butterfly handle	1" M x 1" M	65
	163602	5291840009512	NILE Male-Female butterfly handle	3/8" M x 3/8" F	65
	763604	8428519086070	NILE Male-Female butterfly handle	3/4" M x 3/4" F	35
	163604	5291840003305	NILE Male-Female butterfly handle		
	763603	8428519086063	NILE Male-Female butterfly handle	1/2" M x 1/2" F	50
	163603	5291840003299	NILE Male-Female butterfly handle		
	163605	8428519058855	NILE Male-Female butterfly handle	1" M x 1" F	
	163102	5291840014127	NILE Female-Female butterfly handle	3/8" F x 3/8" F	
	163105	8428519058831	NILE Ball valve PN25 HH Thread Red butterfly	1" F x 1" F	
	763103	8428519085936	SENA Ball valve PN30 HH Thread Red butterfly	1/2" F x 1/2" F	50
	153103	5291840003275	SENA Ball valve PN30 HH Thread Red butterfly		
	763104 RHM54	8428519085943 5291840003282	NILE Female-Female butterfly handle	3/4" F x 3/4" F	35

