



MIRRORS

2026 Collection

KLAUS

HOFER

TATAY

 **jokey**




KLAUS

20 February 2026

NEW!

KLAUS



Description	Referent	Size	Bar code
Bilbao Oval	NYT-LE-100X50cmx5mm	100x50cmx5mm	5291840025413
Lumens 2000 Day light - IP44			
Anti-fog			
Back and front light			
Magnifying mirror			
Instalation Vertical&Horizontal			

NEW!


KLAUS



Description	Referent	Size	Bar code
Bilbao Oval	NYT-NO-MAGNI/oval	100x50cmx5mm	5291840026113
Lumens 1500 Day light - IP44			
Anti-fog			
Back and front light			
Instalation Vertical&Horizontal			

NEW!


KLAUS



Description	Referent	Size	Bar code
San Sebastien Lumens 2000 Day light - IP44 Anti-fog Back and front light Magnifying mirror Instalation Vertical&Horizontal	San Sebastien NYT-LED 120X80cmx5mm	120X80cmx5mm	5291840026342

NEW!

KLAUS



Description	Referent Nr.	Size	Bar code
Alexa mirror Lumens 1500 Day light - IP44 Anti-fog Back and front light With magnifying mirror Instalation Vertical or Horizontal	NYT-LE- 100x80cmx5mm	100x80cmx5mm	5291840025352
Berlin mirror Lumens 1500 Day light - IP44 Anti-fog Back and front light With magnifying mirror Instalation Vertical or Horizontal	NYT-LE- 100x120cmx5mm	120x100cmx5mm	5291840025369
Oslo mirror Lumens 1500 Day light - IP44 Anti-fog with back and front light With magnifying mirror Instalation Vertical or Horizontal	NYT-LE- 100x70cmx5mm	100x70cmx5mm	5291840025390

NEW!

KLAUS



Description	Referent Nr.	Size	Bar code
Alexa mirror Lumens 1500 Day light - IP44 Anti-fog Back and front light Instalation Vertical or Horizontal	NYT-NO-MAGNI-10/8	100x80cmx5mm	5291840026120
Porto mirror Lumens 1500 Day light - IP44 Anti-fog Back and front light Instalation Vertical or Horizontal	NYT-NO-MAGNI-12/8	120x80cmx5mm	5291840026137
Berlin mirror Lumens 1500 Day light - IP44 Anti-fog Back and front light Instalation Vertical or Horizontal	NYT-NO-MAGNI-12/10	120x100cmx5mm	5291840026144
Oslo mirror Lumens 1500 Day light - IP44 Anti-fog with back and front light Instalation Vertical or Horizontal	NYT-NO-MAGNI-10/70	100x70cmx5mm	5291840026151

NEW!

KLAUS



**With magnifying
mirror**

**ON THE RIGHT SIDE
WHEN VERTICAL –
WHEN HORIZONTAL
- ON THE LEFT**

Description	Referent Nr.	Size	Bar code
Helsinki Aluminium chrome matt frame 5.7mm curve Lumens 1500 Day light - IP44 Anti-fog Front and back light Magnifying mirror Instalation Vertical & Horizontal	NYT-FRCH- 80X60cmx5mm	80x60cmx5mm Frame 5.7mm	5291840025444
Granada Aluminium chrome matt frame 5.7mm curve Lumens 1500 Day light - IP44 Anti-fog Front and back light Magnifying mirror Instalation Vertical & Horizontal	NYT-FRCH- 100X80cmx5mm	100X80cmx5mm Frame 5.7mm	5291840025451
Leondia Aluminium chrome matt frame 5.7mm curve Lumens 1500 Day light - IP44 Anti-fog Front and back light Magnifying mirror Instalation Vertical & Horizontal	NYT-FRCH- 120X80cmx5mm	120x80cmx5mm Frame 5.7mm	5291840025468



Description	Referent Nr.	Size	Bar code
Helsinki Aluminium black matt frame 5.7mm Lumens 1500 Day light - IP44 Anti-fog Front and back light Instalation Vertical & Horizontal	NYT-B/NO/ MAG/80	80x60cmx5mm Frame 5.7mm	5291840026175
Granada Aluminium black matt frame 5.7mm Lumens 1500 Day light - IP44 Anti-fog Front and back light Instalation Vertical & Horizontal	NYT-B/NO/ MAG/100	100X80cmx5mm Frame 5.7mm	5291840026182
Leondia Aluminium black matt frame 5.7mm Lumens 1500 Day light - IP44 Anti-fog Front and back light Instalation Vertical & Horizontal	NYT-B/NO/ MAG/120	120x80cmx5mm Frame 5.7mm	5291840026199

NEW!

KLAUS



Description	Ref. Nr.	Size	Bar code
Faro Black Matt Aluminum Curve frame 5.7mm Lumens 1500 - Day light - Anti-fog curve	NYT-FRB- 80x60cmx5.7mm	80x60cmx5.7mm	5291840025475
	NYT-FRB- 100x80cmx5.7mm	100x80cmx5.7mm	5291840025482
Front and back light - IP44 Magnifying mirror	NYT-FRB- 120x80x5mm	120x80cmx5mm Frame 5.7mm	5291840025499
Instalation Vertical & Horizontal			



Description	Ref. Nr.	Size	Bar code
VIENNA Led mirror IP44 Lumens 1500 - Day light Curve Front & background wall illumination Instalation : Horizontal or Vertical With magnifying mirror	NYT-LED-6-IP44	60x80cmx5mm	5291840025246



Description	Ref. Nr.	Size	Bar code
VIENNA Led mirror IP44 Lumens 1500 - Day light Curve Front & background wall illumination Instalation : Horizontal or Vertical W/out Magnifying mirror	NYT-LED-6-IP44	60x80cmx5mm	5291840027004



Description	Ref. Nr.	Size	Bar code
MALMO Led mirror	NYT-FOG	60x80cmx5mm	5291840024904
Lumens 1500 - Day light	NYT-FOG	60x80cmx5mm	5291840027318
Front & background wall illumination			
Magnifying mirror			
Anti-fog			
Instalation Horizontal or Vertical			
IP44			

NEW!

KLAUS



Description	Ref. Nr.	Size	Bar code
Bamberg Led round mirror 80cmx5mm IP44 / Lumens 1500 / Day light / Anti-fog / Illumination in front & back side / Magnifying mirror / Instalation Horizontal or Vertical With magnifying mirror	NYT-LE- 80cm Round	80cm Round	5291840025383

NEW!

KLAUS



Description	Ref. Nr.	Size	Bar code
-------------	----------	------	----------

EARTH
Led ROUND mirror 80cmx5mm
BLACK FRAME MATT 5.7mm
IP44 / Lumens 1500 / Day light / Anti-fog /
Illumination in front & back side /
Instalation Horizontal or Vertical

NYT-B/NO MAG/80 80cm Round 5291840026205

LUMENS TO WATTS

CONVERSION CHEAT SHEET

Brightness
in Lumens

220+



400+



700+



900+



1300+



STANDARD

25W

40W

60W

75W

100W



HALOGEN

18W

28W

42W

53W

70W



CFL

6W

9W

12W

15W

20W



LED

4W

6W

10W

13W

18W



THECANCONVERTER.COM



NEW!



Multistar



Equipment

Illuminated mirror with integrated Euro socket, 1x USB + 1x USB-C, ON/OFF switch, high suspension

Lighting

LED-lighting, consumption: 17 watts, brightness: 3.086 lumens, light color: 4.000 Kelvin neutral white, protection class: IP 20

Dimensions (W/H/D)

50,0 / 70,0 / 3,5 cm

Article-no.:

49060480

EAN-No.:

4002177576568





Price :



Photo	Description	Ref. Nr.	Bar code
	<p>ENTRO Cabinet mirror - MDF/WOOD</p> <p>Dimensions: W50cm / H74cm / D14cm</p> <p>Color: White corpus, aluminum colored Thick rim</p> <p>Illumination: Recommended for 1 x E27 LED lamps (not included)</p> <p>IP: 20</p> <p>Specifications: Large mirrored crystal glass door safety socket and switch within easy reach at bottom right</p>	111911010-0140	4013251859415
	<p>DORO Cabinet mirror - MDF/WOOD</p> <p>Dimensions: W67.5cm / H60cm / D22cm</p> <p>Color: White, aluminum</p> <p>Illumination: 2 LED spots, 240 Lumens </p> <p>Light: color Neutral-white</p> <p>IP: 20</p> <p>Specifications: 3 mirrored crystal glass doors, adjustable glass shelves, safety socket & switch</p>	111913510-0110	4013251001906
	<p>CENTO 50 Cabinet mirror - MDF/WOOD</p> <p>Dimensions: W50cm / H65cm / D14cm</p> <p>Color: White corpus, aluminum colored thick rim Illumination: Lumens 540 Led</p> <p>Light: colour Neutral-white</p> <p>IP: 20</p> <p>Specifications: 1 mirrored crystal glass doors, adjustable glass shelves, safety socket & switch within easy reach at bottom right</p>	114311010-0140	4013251864280
	<p>CENTO 60 Cabinet mirror MDF/WOOD</p> <p>Dimensions: W60cm / H 65cm / D 14cm</p> <p>Color: White corpus, aluminum colored thick rim</p> <p>Illumination: LED light strip, 540 Lumens</p> <p>Light: color Neutral-white - IP: 20</p> <p>Specifications: 2 mirrored crystal glass doors, adjustable glass shelves, safety socket & switch within easy reach at bottom right</p>	114312010-0140	4013251864259



Photo	Description	Ref. Nr.	Bar code
	<p>Kandi LED Mirror cabinet - MDF / Wood Chrome finish - W60cm x H 70cm x D9cm</p> <p>Lighting: LED top light, 540 lumens, light color neutral white</p> <p>2 mirror doors made of crystal glass adjustable glass inserts Socket & on/off switch / Weight: 9.4 kg</p> <p>IP: 20</p>	111912212-D	4013251007700
	<p>Kandi Led mirror cabinet - MDF / Wood Black matt finish - W60cm x H 70cm x D9cm</p> <p>Lighting: LED top light, 540 lumens, light color: neutral white</p> <p>2 mirror doors made of crystal glass adjustable glass inserts / Socket & on/off switch /Weight: 9.4 kg</p> <p>IP: 20</p>	111912212-0700	4013251010656
	<p>“E-LIGHT THREE” Led mirror model</p> <p>W50cmxH70cm</p> <p>Lumen 132 Light color</p> <p>Energy-efficiency class A++</p> <p>IP: 20</p>	48000080	4002177558380
	<p>SIRIUS II - LED light mirror</p> <p>60x80cm High</p> <p>Lumen 903 Light color Including touch switch</p> <p>Energy-efficiency class A++</p> <p>IP: 20</p>	48002112	4002177568693
	<p>SIRIUS III - LED light mirror</p> <p>90x60cm High</p> <p>Lumen 903 Light color Including touch switch</p> <p>Energy-efficiency class A++</p> <p>IP: 20</p>	48002113	4002177568709

Photo	Description	Ref. Nr.	Bar code
	<p>“ROOMLIGHT I” Curve LED mirror</p> <p>Dimensions: W60cm x H80cm</p> <p>Lumen: 805 Light color Class A+</p> <p>Equipment: Sensor switch</p> <p>Weight: 5.46 kg</p> <p>IP: 20</p>	48008010	4002177568532
	<p>“ROOMLIGHT II” Curve LED mirror</p> <p>Dimensions : W50cmxH70cm</p> <p>Lumen: 756 Light color Class A++</p> <p>Equipment: Sensor switch</p> <p>Weight: 5.46 kg</p> <p>IP: 20</p>	48008020	4002177569096
	<p>“ROOMLIGHT III” Curve LED mirror</p> <p>Dimensions: W80cm x H60 cm</p> <p>Lumen 485 Light color / Class A ++</p> <p>Equipment: Sensor switch</p> <p>Weight: 5.43 kg</p> <p>IP: 20</p>	48008030	4002177574304
	<p>“SALERNO” Curve LED mirror</p> <p>Dimensions: W50 cm x H 70 cm Lumen 1080 light Neutral with switch</p> <p>The mirrored high-quality clear glass design with rounded corners and the elegantly framed all-round lighting module gives you a clever styling partner and an additional light source in the bathroom, entrance area or at the make-up area in the bedroom. on/off sensor switch is included.</p> <p>IP: 20</p>	49060100	4002177575721



Description

Ref. Nr.

Bar code

OXFORD Led

49060080

4002177575707

Size 60x80cmx5mm

Incl. touch switch and illuminated make-up mirror, 3x magnifying

Lumens 870 neutral-white

IP: 44



Description

Ref. Nr.

Bar code

LED Lines III

9951

4002177566774

Size 40x6,5x11 cm

Light color neutral-white

Wattage 6 | Lumens 400

2 Years warranty

Energy rating "A"

IP: 44

LUMENS TO WATTS

CONVERSION CHEAT SHEET

Brightness
in Lumens

220+



400+



700+



900+



1300+



STANDARD

25W

40W

60W

75W

100W



HALOGEN

18W

28W

42W

53W

70W



CFL

6W

9W

12W

15W

20W



LED

4W

6W






10W

13W

18W



THECANCONVERTER.COM

Photo	Description	Ref. Nr.	Bar code
	Sevilla 1 Led Round mirror 55cm Lumen 700 Light neutral white IP: 20	49060050	4002177575677
	Sevilla 2 Led Round mirror 65cm Lumen 830 Light neutral white IP: 20	49060060	4002177575684
	FRAMELIGHT I LED mirror 60x80cmH. Lumen 903 Including touch switch Energy-efficiency class A++ Light neutral white IP: 20	48007010	4002177568525
	FRAMELIGHT II Led Mirror 50x70cmH. Lumen 735 / Light neutral white Including touch switch Energy-efficiency class A++ IP: 20	48007020	4002177569089
	FRAMELIGHT III Led Mirror 80x60cmH. Lumen 903 / Light neutral white Including touch switch Energy-efficiency class A++ IP: 20	48007030	4002177574311

«Καθρέφτης LED με βαθμολογία IP44»

Συνοψίζοντας, όταν αγοράζετε έναν φωτιζόμενο καθρέφτη, αναζητήστε να έχει την βαθμολογία IP44 στην περιγραφή του προϊόντος. Αυτή η βαθμολογία υποδεικνύει ότι ο καθρέφτης είναι κατάλληλος για χρήση σε χώρους όπου υπάρχει νερό.

Όπως μπάνια / ντους / υγρά δωμάτια, παρέχοντας παράλληλα προστασία από υγρασία και πιτσιλιές νερού.

“Mirror LED with IP44 rating”

In summary, when shopping for an illuminated mirror, look for IP44 rating in the product description.

This rating indicates that the mirror is suitable for use in areas like bathroom / shower.

Such as bathrooms and wet rooms, whilst providing protection against moisture and splashes of water.

Για την τοποθέτηση καθρέφτη με “IP44” ακολουθήστε τις αποστάσεις του σκιαγραφήματος, οι οποίες και καθορίζονται στα 60cm.

Στην Γερμανία παράδειγμα είναι αποδεκτό και το IP20 αλλά με απόσταση του ενός μέτρου από το μπάνιο/ντους

SCHUTZBEREICH / SAFETY AREA



F	Zone de protection	RO	Domeniu de protecție
TR	Korunma bölümü	SLO	Zaščitno območje
RUS	Защитная зона	I	Zone de protezione
NL	Veiligheidsruimte	HR	Zaštićeno područje
PL	Strefa ochonna	E	Zona de protecció
CZ	Ochranné pásmo	P	Zona de protecção
SK	Ochranné pásmo	DK	Sikkerhedsafstand
H	Védett terület	FIN	Turva-alue
BG	Защитен участък	GR	Περιοχή προστασίας

Minimum: 60 cm









Photo	Description	Ref. Nr.	Bar code
	<p>FRAME mirror WOOD VERDE 46X111</p> <p>Dimensions: width 46 cm x height 111 cm</p> <p>Mirror type: Living room mirror</p> <p>Suspension: Both</p> <p>Equipment: Wooden frame hanger available</p>	<p>99980999</p>	<p>4002177090262</p>
	<p>FRAME mirror WOOD VERDE 46X111</p> <p>Dimensions: width 46 cm x height 111 cm</p> <p>Mirror type: Living room mirror</p> <p>Suspension: Both</p> <p>Equipment: Wooden frame hanger available</p>	<p>99981999</p>	<p>4002177090293</p>
	<p>FRAME mirror WOOD VERDE 55X75</p> <p>Dimensions: width 55 cm x height 75 cm</p> <p>Mirror type: Living room mirror</p> <p>Suspension: Both</p> <p>Equipment: Wooden frame hanger available</p>	<p>99984999</p>	<p>4002177092846</p>
	<p>FRAME mirror WOOD VERDE 55X75</p> <p>Dimensions: width 55 cm x height 75 cm</p> <p>Mirror type: Living room mirror</p> <p>Suspension: Both</p> <p>Equipment: Wooden frame hanger available</p>	<p>99985999</p>	<p>4002177092877</p>





Photo	Description	Ref. Nr.	Bar code
	<p>Mirror model "TOUCH"</p> <p>Width 39cmx111cm High</p> <p>included adhesive tape</p> <p>Door or wall mirror</p>	10080104	4002177000063
	<p>Mirror model "TOUCH"</p> <p>Width 39cmx140cm High</p> <p>included adhesive tape</p> <p>Door or wall mirror</p>	10040114	4002177045347
	<p>Kritall-Spiegel</p> <p>Width 40cmx170cm High</p> <p>Included on the mirror the clamping support for vertical instalation only</p> <p>For horizontal instalation, ask for mirror extra clamping support set 4pcs</p>	10200040	4002177568839
	<p>Mirror clamping support set of 4pcs</p> <p>Capacity 5Kilos</p>	19060000	4002177009905

photo	description	Ref.Nr.	Bar code
	<p>MIRROR GENNIL 55x80cmx5mm</p> <p>Dimensions: W.55cm x H.80cmx5mm Can be placed vertical and horizontal</p> <p>Equipment: bijoute 13 mm</p> <p>Adhesive included</p> <p>ΤΟΠΟΘΕΤΕΙΤΑΙ ΚΑΙ ΟΡΙΖΟΝΤΙΑ ΕΑΝ ΑΓΟΡΑΣΕΤΕ ΤΗΝ ΕΞΤΡΑ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΤΟΥ ΚΑΘΡΕΦΤΗ 8CMX10CM REF.19010081 €4.90</p>	20030185	4002177000766 (2 pieces in one package)
	<p>MIRROR GENNIL 40X60cmx5mm</p> <p>Dimensions: W.40cm x H.60cmx5mm</p> <p>Can be placed vertical and horizontal 13 mm adhesive sheets available</p> <p>ΤΟΠΟΘΕΤΕΙΤΑΙ ΚΑΙ ΟΡΙΖΟΝΤΙΑ ΕΑΝ ΑΓΟΡΑΣΕΤΕ ΤΗΝ ΕΞΤΡΑ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΤΟΥ ΚΑΘΡΕΦΤΗ 8CMX10CM REF.19010081 €4.90</p>	20010164	4002177000742
	<p>MIRROR CHECK KARO 55x70cmx5mm</p> <p>Dimensions: W.55cm x H.70cmx5mm</p> <p>Can be placed vertical and horizontal Equipment: bijoute 13 mm</p> <p>Adhesive included</p> <p>ΤΟΠΟΘΕΤΕΙΤΑΙ ΚΑΙ ΟΡΙΖΟΝΤΙΑ ΕΑΝ ΑΓΟΡΑΣΕΤΕ ΤΗΝ ΕΞΤΡΑ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΤΟΥ ΚΑΘΡΕΦΤΗ 8CMX10CM REF.19010081 €4.90</p>	65450157	4002177307902
	<p>MIRROR CHECK KARO 70x90cmx5mm</p> <p>Dimensions: W.70cm x H.90cmx5mm Can be placed vertical and horizontal Equipment: bijoute 13 mm Adhesive included</p> <p>ΤΟΠΟΘΕΤΕΙΤΑΙ ΚΑΙ ΟΡΙΖΟΝΤΙΑ ΕΑΝ ΑΓΟΡΑΣΕΤΕ ΤΗΝ ΕΞΤΡΑ ΒΑΣΗ ΣΤΗΡΙΞΗΣ ΤΟΥ ΚΑΘΡΕΦΤΗ 8CMX10CM REF.19010081 €4.90</p>	65450179	4002177080454




Photo	Description	Ref.Nr.	Bar code
	<p>Lymo Cabinet white</p> <p>Material: Plastic</p> <p>Dimensions: 59/49.5/14.5cm</p> <p>Features: 3 crystal glass mirror doors with 3-D-mirror effect, Medium mirror with storage space, Fixed cabinet inserts</p> <p>Push socket</p>	84132	4013251862101
	<p>Junior Cabinet White (1 door)</p> <p>Material: Plastic</p> <p>Dimensions: 31.5/40/14 cm</p> <p>Features: 1 Crystal glass mirror door</p> <p>Fixed cabinet inserts</p>	84110	4013251807805
	<p>Medi White (one-door)</p> <p>Material: Plastic</p> <p>Dimensions: 31.5/42/15 cm</p> <p>Features: Adjustable cabinet inserts, Door storage bowls, Green cross sticker, Lock</p> <p>Drawer console: With 1 drawer and scratch-proof</p>	83310	4013251807409





photo	description	Ref.Nr.	Bar code
	<p>Make-up mirror SALVIA 16,5X16,5 cm Magnifying mirror 300% With light & switch on /off Dimensions: width 16.5 cm x height 16.5 cm Mirror type: cosmetic mirror Equipment: frame made of KS, pressure switch</p>	19070020	4002177568594
	<p>Make-up mirror KANIA 17,3X17,3 cm Magnifying mirror 300% Dimensions: width 17.3 cm x height 17.3 cm Mirror type: cosmetic mirror Equipment: frame from KS</p>	19070010	4002177568587
	<p>COSMETIC mirror VINCA 16X16 cm Magnifying mirror 300% Dimensions: width 16 cm x height 16 cm Mirror type: cosmetic mirror Equipment: frame from KS</p>	19070030	4002177568600
	<p>MAKE-UP mirror VIVIENNE 18X38 cm Magnifying mirror 17 cm X 2 zoom Dimensions: width 38 cm x height 18cm Mirror type: cosmetic mirror Equipment: frame made of metal</p>	19070000	4002177019430

Photo	Description	Ref. Nr.	Bar code	
	<p>Kristall Form mirror</p> <p>Size: 40X60 Width of the frame: 3 cm</p> <p>Material: extrusion plastic (polystyrol) with foil coated.</p> <p>Can be placed vertical and horizontal</p>	<p>69000030</p> <p>69000031</p>	<p>4002177564015</p> <p>4002177564022</p>	<p>Green</p> <p>Pink</p>
	<p>Kristall Form mirror</p> <p>Size: 40x100x15mm frame</p> <p>Material: extrusion plastic (polystyrol) with foil coated.</p> <p>Can be placed vertical and horizontal</p>	<p>69000022</p> <p>69000024</p>	<p>4002177563933</p> <p>4002177563957</p>	<p>Silver</p> <p>Green</p>
	<p>MOUNTING SYSTEM MIRROR</p> <p>HANGING PANEL 8X10 cm</p> <p>For mirrors up to 2.4 kilos p.p.</p>	<p>19010081</p>	<p>4002177000315</p>	<p>4.90p.p</p>
	<p>CLEAR GLASS TRAYS</p> <p>Size 50 x 14 cm </p>	<p>19450050</p>	<p>4002177075832</p>	<p>8.40€</p>
	<p>GLASS SHELF SUPPORT</p> <p>Chromium-plated metal, 1 pair</p>	<p>19450000</p>	<p>4002177075825</p>	<p>10.00€</p>

declaration of conformity

CE

Manufacturers name Jokey Plastik Sohland GmbH

Complete adress Industriestr. 4
02689 Sohland / Spree
Germany



Products bathroom products, illuminated mirrors

Type designation / providers All types

The designed products are comply with the requirements of following documents:

1 Safety	2014/35/EU	Low voltage directive
1.1	EN 60598-1:2015	Luminaires- Part 1: General requirements and tests (before 2008 + A11)
1.2	EN 60598-2-1:1989	Luminaires; part 2: particular requirements; section one: fixed general purpose luminaires
1.3 PAK/PAH	2013/1272/EU	Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as regards polycyclic aromatic hydrocarbons (before ZEK 01.2-08/12.08, current 01.4-08)
	AIPS GS 2014:01 PAK	
1.4 EMF	EN 62493:2010	Assessment of lighting equipment related to human exposure to electromagnetic fields
1.5 Photobiology	EN 62471:2008	Photobiological safety of lamps and lamp systems
2 EMC	2014/30/EU	Directive relating to electromagnetic compatibility (before 2004/108/EC)
2.1	EN 55015 :2015	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment (before 2006 + A1:2007 + A2:2009)
2.2	EN 61000-3-2:2015	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (before 2006 + A1:2009 + A2:2009)
2.3	EN 61000-3-3:2014	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection (before 2008)
2.4	EN 61547:2010, Ber. 1:2010	Equipment for general lighting purposes- EMC immunity requirements (before 2009)



3 REACH	2006/1907/EC	Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
4 RoHS II	2011/65/EG	Restriction of Hazardous Substances; includes 2015/863 (before 2002/95/EG)
5 WEEE	2012/19/EU	Directive on waste electrical and electronic equipment (WEEE)
6 ÖKODESIGN	2009/125/EC	eco-design requirements for energy related products
6.1	244/2009/EC	non-directional household lamps
6.2	1194/2012/EU	directional lamps, light emitting diode lamps and related equipment
6.3	2010/30/EU	labelling and standard product information of the consumption of energy and other resources by energy-related products
6.4	2012/874/EU	Energy labelling of electrical lamps and luminaires
7 tests in factory	according to EN 60598	100% 1 visual inspection 2 insulation 3 earth contact 4 function

Phone, Fax, E-Mail

Tel. 035936 36-0, Fax 035936 36-2222, Email info@jokey.com

www.jokey-online.com

Don't hesitate to ask for more information.

Signed for and on behalf of:

Jokey Plastik Sohland GmbH

Sohland, 13.12.2019

(date and place)

Marcus Blumenschein, General Manager

(name and function)

(signature)

Jokey Plastik Sohland GmbH
Industriestraße 4
02689 Sohland a. d. Spree

Μοντέλο προϊόντος 48007010; 48007030; 48002112; 48008010;
48008030

Κατασκευαστής Jokey Sohland GmbH
Industriestr. 4
02689 Sohland / Spree
Germany

Η παρούσα δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή.

Στόχος της δήλωσης Ντουλάπι καθρέφτη Προϊόντα μπάνιου

Ο στόχος της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνος με τη σχετική ενωσιακή νομοθεσία εναρμόνισης:

2014/35/ΕΕ	ΟΔΗΓΙΑ για την εναρμόνιση των νομοθεσιών των κρατών μελών σχετικά με τη διαθεσιμότητα στην αγορά ηλεκτρολογικού υλικού που προορίζεται να χρησιμοποιηθεί εντός ορισμένων ορίων τάσης	L96/357-L96/374 29.03.2014
Εναρμονισμένα πρότυπα:	EN 60598-1:2015 EN 60598-2-1:1989 EN 62493:2010 EN 62471:2008	Φωτιστικά σώματα - Μέρος 1: Γενικές απαιτήσεις και δοκιμές Φωτιστικά σώματα - Μέρος 2-1: Ειδικές απαιτήσεις - Σταθερά φωτιστικά σώματα γενικής χρήσης Αξιολόγηση του εξοπλισμού φωτισμού όσον αφορά την έκθεση ατόμων σε ηλεκτρομαγνητικά πεδία Φωτοβιολογική ασφάλεια λαμπτήρων και συστημάτων λαμπτήρων

Δηλώνεται η συμμόρφωση με άλλες οδηγίες/κανονισμούς που ισχύουν επίσης για το προϊόν:

2014/30/EU	Richtlinie zur Harmonisierung der Rechtsvorschriften der Mitgliedstaaten über die elektromagnetische Verträglichkeit	L 96/79- L 96/106 29.3.2014
Harmonisierte Normen:	EN 55015 :2013	Όρια και μέθοδοι μέτρησης των χαρακτηριστικών

ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ

Σύμφωνα με ΟΔΗΓΙΑ 2014/35/ΕΕ ΤΟΥ ΕΥΡΩΠΑΪΚΟΥ ΚΟΙΝΟΒΟΥΛΙΟΥ ΚΑΙ ΤΟΥ ΣΥΜΒΟΥΛΙΟΥ Επίσημη Εφημερίδα L96/357-L96/374
29.03.2014

	<p>EN 61000-3-2:2014</p> <p>EN 61000-3-3:2013</p> <p>EN 61547:2009</p>	<p>ραδιοδιαταραχών του ηλεκτρικού φωτισμού και παρόμοιων συσκευών</p> <p>Ηλεκτρομαγνητική συμβατότητα (ΗΜΣ) - Μέρος 3-2: Όρια - Όρια για εκπομπές αρμονικού ρεύματος</p> <p>Ηλεκτρομαγνητική συμβατότητα (ΗΜΣ) - Μέρος 3-3: Όρια - Περιορισμός των μεταβολών της τάσης, των διακυμάνσεων της τάσης και του τρεμοπαίγματος σε δημόσια συστήματα διανομής χαμηλής τάσης για εξοπλισμό με ονομαστικό ρεύμα ≤ 16 A ανά φάση που δεν υπόκειται σε ειδικές συνθήκες σύνδεσης</p> <p>Εξοπλισμός για σκοπούς γενικού φωτισμού - Απαιτήσεις ανοσίας ΗΜΣ</p>
2011/65/ΕΕ	<p>ΟΔΗΓΙΑ για τον περιορισμό της χρήσης ορισμένων επικίνδυνων ουσιών σε ηλεκτρικό και ηλεκτρονικό εξοπλισμό</p> <p>Εναρμονισμένα πρότυπα:</p> <p>EN 50581:2012</p> <p>EN IEC 63000:2018</p>	<p>L 174/88-L 174/110 01.07.2011</p> <p>Τεχνική τεκμηρίωση για την αξιολόγηση του ηλεκτρικού και ηλεκτρονικού εξοπλισμού όσον αφορά τον περιορισμό των επικίνδυνων ουσιών</p> <p>Τεχνική τεκμηρίωση για την αξιολόγηση του ηλεκτρικού και ηλεκτρονικού εξοπλισμού όσον αφορά τον περιορισμό των επικίνδυνων ουσιών</p>
2009/125/ΕΚ	<p>ΟΔΗΓΙΑ για τη θέσπιση πλαισίου για τον καθορισμό απαιτήσεων οικολογικού σχεδιασμού όσον αφορά τα συνδεδεμένα με την ενέργεια προϊόντα</p>	<p>L 285/10-L 285/35 31.10.2009</p>
2019/2020 ΕΕ	<p>ΚΑΝΟΝΙΣΜΟΣ για τον καθορισμό απαιτήσεων οικολογικού σχεδιασμού των φωτεινών πηγών και των χωριστών διατάξεων χειρισμού των φωτεινών πηγών σύμφωνα με την οδηγία 2009/125/ΕΚ του Ευρωπαϊκού</p>	<p>L 315/209- L 315/240 05.12.2019</p>



ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ

Σύμφωνα με ΟΔΗΓΙΑ 2014/35/ΕΕ ΤΟΥ ΕΥΡΩΠΑΪΚΟΥ ΚΟΙΝΟΒΟΥΛΙΟΥ ΚΑΙ ΤΟΥ ΣΥΜΒΟΥΛΙΟΥ Επίσημη Εφημερίδα L96/357-L96/374
29.03.2014

	Κοινοβουλίου και του Συμβουλίου και για την κατάργηση των κανονισμών (ΕΚ) αριθ. 244/2009, (ΕΚ) αριθ. 245/2009 και (ΕΕ) αριθ. 1194/2012 της Επιτροπής	
2017/1369/EU	ΚΑΝΟΝΙΣΜΟΙ ΤΟΥ ΕΥΡΩΠΑΪΚΟΥ ΚΟΙΝΟΒΟΥΛΙΟΥ ΚΑΙ ΤΟΥ ΣΥΜΒΟΥΛΙΟΥ	L 198/1-L 198/23 28.7.2017
2019/2015/EU	ΚΑΤ' ΕΞΟΥΣΙΟΔΟΤΗΣΗ ΚΑΝΟΝΙΣΜΟΣ (ΕΕ) για τη συμπλήρωση του κανονισμού (ΕΕ) 2017/1369 του Ευρωπαϊκού Κοινοβουλίου και του Συμβουλίου όσον αφορά την ενεργειακή επισήμανση των φωτεινών πηγών και για την κατάργηση του κατ' εξουσιοδότηση κανονισμού (ΕΕ) αριθ. 874/2012 της Επιτροπής	L 315/68- L 315/101 5.12.2019

Υπογραφή για λογαριασμό και εξ
ονόματος: **Jokey Sohland GmbH**
Sohland, 12.07.2021

(τόπος και ημερομηνία)

Markus Blumenschein, Διευθύνων
Σύμβουλος
(όνομα, θέση) (υπογραφή)

HOFER



26 May 2026






Photo	Description	Ref. Nr.	Size	Bar code
	<p>Mirror 4mm Led mirror</p> <p>Lumens 850 Black aluminum frame IP44 Vertical instalation</p>	NYT-LED-4HBA	60x80cmx5mm	5291840021774
	<p>Led mirror 60x60cm With magnifying mirror</p> <p>Lumens 1000 IP44 Horizontal or Vertical Instalation</p>	NYT-LED-MAGS	60x60cmx5mm	5291840023150
	<p>Reflecta 1 Led mirror</p> <p>Lumens 1000 IP44 Horizontal or Vertical instalation</p>	NYT-LED-60S	60x60cmx5mm	5291840023976
	<p>Reflecta 2 Led mirror</p> <p>REFLECTA MIRROR LED WITH MAGNIFYING MIRROR</p> <p>Lumens 1000 IP44 Horizontal or Vertical instalation</p>	NYT-LED-60X80R	80x60cmx5mm	5291840023983 5291840027325
	<p>Reflecta 3 Led mirror</p> <p>Lumens 1000 IP44 Horizontal or Vertical instalation</p>	NYT-LED-50X70R	50x70cmx5mm	5291840023990

Photo	Description	Ref. Nr.	Size	Bar code
	<p>Stelar 3</p> <p>Mirror s/steel frame semi-silver finish</p> <p>Frame width 2.5cm</p>	NYT-S/SF-SM-40x60	40x60cm	5291840024331
	<p>Stelar 2</p> <p>Mirror s/steel frame semi-black finish</p> <p>Frame width 2.5cm</p>	NYT-S/SF-B-40x60	40x60cm	5291840024324
	<p>Stelar 1</p> <p>Mirror s/steel frame semi-white finish</p> <p>Frame width 2.5cm</p>	NYT-S/SF-W-40x60	40x60cm	5291840024317
	<p>Lustar 3</p> <p>Mirror s/steel frame semi-silver finish</p>	NYT-S/SF-SM-40x100	40x100cm	5291840024362
	<p>Lustar 2</p> <p>Mirror s/steel frame semi-black finish</p>	NYT-S/SF-B-40x100	40x100cm	5291840024355
	<p>Lustar 1</p> <p>Mirror s/steel frame semi-white finish</p>	NYT-S/SF-W-40x100	40x100cm	5291840024348

Photo	Description	Ref. Nr.	Size	Bar code
	Mirror aluminum Frame / black matt	NYT-F-BMAT 60x60cm	60x60cm	5291840022092
	Mirror aluminum Frame / black matt	NYT-F-BMAT 65X45cm	65x45cm	5291840022085
	Mirror aluminum Frame / chrome matt	NYT-F-CMAT 60x60cm	60x60cm	5291840022115
	Mirror aluminum Frame / Chrome matt	NYT-F-CMAT 60X45cm	60x45cm	5291840022054
	Mirror aluminum Frame / Chrome matt	NYT-F-CMAT 60x80cm	60x80cm	5291840022108

Photo	Description	Ref. Nr.	Size	Bar code
	Titan Ogival mirror	NYT-BL-50	50cmx65cmx5mm	5291840013762
	Bijoute	NYT-BL-55	55cmx40cmx5mm	5291840013854
	Titan Rectangular mirror	NYT-RECT-50	50cmx40cmx5mm	5291840013830
	Bijoute	NYT-RECT-60	60cmx45cmx5mm	5291840013779
	Can be placed vertical and horizontal	NYT-RECT-80	80cmx60cmx5mm	5291840019528
	Titan Square mirror	NYT-SQ-40	40cmx40cmx5mm	5291840013847
	Bijoute	NYT-SQ-50	50cmx50cmx5mm	5291840013809
		NYT-SQ-60	60cmx60cmx5mm	5291840022399
	Titan Round mirror	NYT-RN-40	40cmx5mm	5291840013816
	Bijoute	NYT-RN-50	50cmx5mm	5291840013793
		NYT-RN-60	60cmx5mm	5291840013786
	Titan Oval mirror	NYT-OV	50cmx40cmx5mm	5291840013823
	Bijoute			
	Curve mirror Rectangular 60x45cmx5mm	NYT-CURVE- 60x45	45cmx60cmx5mm	5291840021552
	Bijoute			
	Curve mirror 4mm Rectangular 60x80cm	NYT-CURVE- 80x60	60cmx80cmx5mm	5291840021576
	Bijoute			
	Curve mirror 4mm Square mirror 60x60cm	NYT-CURVE- 60x60	60cmx60cmx5mm	5291840021569
	Bijoute			
	Mirror Caresse R900-1-K. OAK	R900-1-K.	85cmx55cm	5291840018668
	R900-1-WH White	<i>Lumiere</i>		

TATAY

Designed to last



20 February 2026



**Magnifying standing mirror 17cm
X 5 zoom
chrome**

Ref.Nr. 4440100

Bar code 8411801440100



**Magnifying mirror with bracket 17cm
X 5 zoom
chrome**

Ref.Nr. 4440200

Bar code 8411801440209



**Magnifying extending mirror 17cm
X 5 zoom
chrome**

Ref.Nr. 4440300

Bar code 8411801440308

mirrors